



## Ready culture media in 55 mm contact plates

*Individually packed in transparent blister*

# Product with minimum order



Description		Packaging	Ref.
<b>Baird Parker Agar + Neutralizing</b> Selective medium for <i>Staphylococcus aureus</i> isolation with inactivation of disinfectants.		20 plates	15331
<b>Cetrimide Agar</b> Selective medium for <i>Pseudomonas aeruginosa</i> isolation.	E.P.	20 plates	15332
<b>Cetrimide Agar + Neutralizing</b> Selective medium for <i>Pseudomonas aeruginosa</i> isolation with inactivation of disinfectants.	E.P.	20 plates	15386 #
<b>Legionella BCYE Agar</b> Non-selective medium for <i>Legionella</i> spp. isolation.	ISO 11731 ISO 11731-2	20 plates	15334
<b>Legionella GVPC Agar</b> Selective medium for <i>Legionella</i> spp. isolation.	ISO 11731 ISO 11731-2	20 plates	15376
<b>MacConkey Agar</b> Selective medium for gram-negatives isolation.	E.P.	20 plates	15329
<b>Mannitol Salt Agar</b> Selective medium for staphylococci isolation.	EP, USP, JP	20 plates	15328
<b>m-Faecal Coliform Agar</b> Selective medium for fecal coliforms isolation and enumeration.		20 plates	15368
<b>Plate Count Agar</b> Medium for surfaces and air total bacterial count.	ISO 4833	20 plates	15325
<b>Plate Count Agar + Neutralizing</b> Medium for surfaces total bacterial count with inactivation of disinfectants.	ISO 4833	20 plates	15336
<b>Plate Count Agar + Neutralizing (Irradiated)</b> Medium for surfaces total bacterial count with inactivation of disinfectants.	ISO 4833	20 plates	15336S
<b>Plate Count Agar + TTC + Neutralizing</b> Medium for surfaces total bacterial count with inactivation of disinfectants.	ISO 4833	20 plates	15360
<b>Rose Bengal Agar + CAF</b> Selective medium for yeasts and moulds isolation and enumeration.	APHA	20 plates	15374
<b>Rose Bengal Agar + CAF + Neutralizing</b> Selective medium for yeasts and moulds isolation and enumeration.		20 plates	15385 #
<b>R2 Agar</b> Medium for heterotrophic microorganisms count in drinking water.	E.P.	20 plates	15354 #
<b>Sabouraud Dextrose Agar</b> Medium for yeasts and moulds isolation.	E.P.	20 plates	15327
<b>Sabouraud Dextrose Agar + Lactamator 500 IU + Neutralizing (Irradiated)</b> Medium for yeasts and moulds isolation with inactivation of $\beta$ -lactam antibiotics and disinfectants.		20 plates	15345S
<b>Sabouraud Dextrose Agar + 0.1% Penase + Neutralizing (Irradiated)</b> Medium for yeasts and moulds isolation with inactivation of disinfectants and penicillins.		20 plates	15333S
<b>Sabouraud Agar + Neutralizing (Irradiated)</b> Medium for yeasts and moulds isolation with inactivation of disinfectants.		20 plates 400 plates	15323S 15323KS
<b>Sabouraud CAF Agar (Irradiated)</b> Selective medium for yeasts and moulds isolation.		20 plates	15380S
<b>Sabouraud CAF Agar + Neutralizing</b> Selective medium for yeasts and moulds isolation with inactivation of disinfectants.		20 plates	15365
<b>Slanetz-Bartley Agar + Neutralizing</b> Selective medium for fecal streptococci enumeration and isolation with inactivation of disinfectants.		20 plates	15362
<b>Tryptic Soy Agar (Irradiated)</b> Medium for surfaces and air total bacterial count.	E.P.	20 plates	15340S
<b>Tryptic Soy Agar + Neutralizing (Irradiated)</b> Medium for surfaces and air total bacterial count with inactivation of disinfectants.	E.P.	20 plates 400 plates	15339S 15339KS




<b>Ready culture media in 55 mm contact plates</b>			
<i>Individually packed in transparent blister</i>			
			# Product with minimum order
			
Description		Packaging	Ref.
<b>Tryptic Soy Agar + 0.1% Penase + Neutralizing</b> Medium for surfaces and air total bacterial count with inactivation of disinfectants and penicillins.		20 plates	15330 #
<b>Tryptic Soy Agar + 0.1% Penase + Neutralizing (Irradiated)</b> Medium for surfaces and air total bacterial count with inactivation of disinfectants and penicillins.		20 plates	15330S #
<b>Tryptic Soy Agar + Penase + Cephalosporinase + Neutralizing</b> Medium for microbial detection with inactivation of $\beta$ -lactam antibiotics and disinfectants.		20 plates	15343 #
<b>Tryptic Soy Agar + Lactamator 500 UI + Neutralizing (Irradiated)</b> Irradiated medium for non fastidious bacteria growth with inactivation of $\beta$ -lactam antibiotics and disinfectants.		20 plates	15341S #
<b>Violet Red Bile Glucose Agar</b> Selective medium for enterobacteria isolation and enumeration.	ISO 21528-2 E.P.	20 plates	15375
			
<b>Violet Red Bile Lactose Agar</b> Selective medium for coliforms isolation and enumeration.	ISO 4832	20 plates	15326
<b>Violet Red Bile Glucose Agar + Neutralizing</b> Selective medium for <i>Enterobacteriaceae</i> isolation and enumeration with inactivation of disinfectants.	ISO 21528-2	20 plates	15382
<b>Violet Red Bile Lactose Agar + Neutralizing</b> Selective medium for coliforms isolation and enumeration with inactivation of disinfectants.	ISO 4832	20 plates	15361

<b>Ready culture media in 55 mm contact plates</b>			
<i>Packed in two piles of 10 plates</i>			
			# Product with minimum order
Description		Packaging	Ref.
<b>Plate Count Agar + Neutralizing</b> Medium for surfaces total bacterial count with inactivation of disinfectants.	ISO 4833	20 plates	15336L #
<b>Plate Count Agar + TTC + Neutralizing</b> Medium for surfaces total bacterial count with inactivation of disinfectants.	ISO 4833	20 plates	15360L #
<b>Tryptic Soy Agar + Neutralizing (Irradiated)</b> Medium for surfaces and air total bacterial count with inactivation of disinfectants.	E.P.	20 plates	15739S #
<b>Violet Red Bile Glucose Agar</b> Selective medium for enterobacteria isolation and enumeration.	ISO 21528-2 E.P.	20 plates	15375L #
<b>Violet Red Bile Lactose Agar</b> Selective medium for coliforms isolation and enumeration.	ISO 4832	20 plates	15326L #

**Ready culture media in 60 mm petri dishes**

*Individually packed in transparent blister*

# Product with minimum order






Description	Packaging	Ref.
<b>MEMBRANE DISC FILTERS</b>		
Mixed cellulose ester membrane for the isolation and enumeration of bacteria by Membrane Filter Technique.		
<b>47 mm - 0.45 µm - white</b>	100 filters	97000
<b>47 mm - 0.45 µm - black</b>	100 filters	97013
<b>47 mm - 0.22 µm - white</b>	100 filters	97014
<b>Aeromonas Agar</b> Selective medium for <i>Aeromonas</i> spp. isolation.	20 plates	163622 #
<b>Baird Parker Agar</b> Selective medium for <i>Staphylococcus aureus</i> isolation.	ISO 6888-1 20 plates	163512
<b>Bile Aesculin Azide Agar</b> Selective medium for group D streptococci isolation.	ISO 7899-2 20 plates	163572
<b>C-EC MF Agar</b> Chromogenic and fluorogenic medium for isolating and detecting <i>Escherichia coli</i> and other coliforms in water.	20 plates	163862
<b>Chromatic™ EC X-Gluc Agar</b> Chromogenic medium for the detection of <i>E. coli</i> in water and foodstuffs.	20 plates	163722 #
<b>Iron Sulfite Agar</b> Medium for thermophilic anaerobes determination.	20 plates	163372 #
<b>Legionella Agar (GVPC)</b> Selective medium for <i>Legionella</i> spp. isolation.	ISO 11731 ISO 11731-2 20 plates	163392
<b>Legionella MWY Agar</b> Selective medium for <i>Legionella</i> spp. isolation.	ISO 11731 ISO 11731-2 20 plates	163382 #
<b>MacConkey Agar</b> Selective medium for enterobacteria isolation.	E.P. 20 plates	163542
<b>m-CP Agar</b> Selective medium for <i>Clostridium perfringens</i> isolation from water.	98/83/EC 20 plates	163612
<b>m-Faecal Coliform Agar</b> Selective medium for fecal coliforms isolation and enumeration.	APHA 20 plates	163442
<b>M-Green Yeast &amp; Mould Agar</b> Selective medium for detection and count of yeasts and moulds in beverages.	20 plates	163642 #
<b>M-Green Yeast &amp; Mould Agar + CAF</b> Selective medium for detection and count of yeasts and moulds in beverages.	20 plates	163812 #
<b>M-Green Yeast &amp; Mould Agar pH modified</b> Selective medium for detection and count of yeasts and moulds in beverages.	20 plates	163842 #
<b>Mycosel Agar</b> Selective medium for pathogenic fungi isolation.	20 plates	163412 #
<b>Orange Serum Agar</b> Medium for the isolation and enumeration of microorganisms associated with spoilage of citrus fruits and derivatives.	20 plates	163732 #
<b>Plate Count Agar</b> Medium for bacterial count in water and foodstuffs determination.	ISO 4833 20 plates	163452
<b>Cetrimide Agar</b> Selective medium for <i>Pseudomonas aeruginosa</i> isolation.	E.P. 20 plates	163472
<b>Pseudomonas CN Agar</b> Selective medium for <i>Pseudomonas</i> spp. isolation.	ISO 12780 20 plates	163592
<b>R2 Agar</b> Medium for heterotrophic microorganisms count in drinking water.	E.P. 20 plates	163672
<b>Sabouraud Dextrose Agar</b> Medium for yeasts and moulds isolation.	E.P. 20 plates	163402
<b>Slanetz-Bartley Agar (m-Enterococcus A.)</b> Selective medium for fecal streptococci enumeration and isolation.	ISO 7899-2 20 plates	163462
<b>SPS Agar</b> Medium for <i>C. perfringens</i> and sulfite reducing bacteria isolation and count.	APHA 20 plates	163522
<b>Streptococcal KF+TTC Agar</b> Selective medium for fecal streptococci isolation and enumeration.	APHA 20 plates	163482

**Ready culture media in 60 mm petri dishes**

*Individually packed in transparent blister*

# Product with minimum order



Description		Packaging	Ref.
<b>TBX Agar</b> Selective chromogenic medium for detecting and enumerating <i>E. coli</i> in food.	ISO 16649	20 plates	163652
<b>Tergitol Agar</b> Selective medium for coliforms enumeration and identification.	ISO 9308-1	20 plates	163562
<b>Tergitol + TTC Agar</b> Selective medium for coliforms enumeration and identification.	ISO 9308-1	20 plates	163492
<b>Tryptone Glucose Extract Agar + TTC</b> Medium for cultivating and enumerating microorganisms in water and dairy products.		20 plates	163742 #
<b>Wort Agar</b> Medium for the cultivation, isolation and enumeration or enrichment of fungi, especially of yeasts.		20 plates	163802
<b>Yeast Extract Agar</b> Medium for microorganisms enumeration in water.	ISO 6222	20 plates	163582 #


**Ready culture media in 60 mm petri dishes**

*Packed in four piles of 5 plates*

# Product with minimum order

Description		Packaging	Ref.
<b>m-ENDO Agar LES</b> Medium for coliforms determination in water.		20 plates	163432
<b>M-Green Yeast &amp; Mould Agar</b> Selective medium for detection and count of yeasts and moulds in beverages.		20 plates	163642L #

**Dry media in 60 mm petri dishes**  
100 pads, packed in 10 piles of 10







Description	Packaging	Ref.
Easy Dry Chromatic Coliform ISO	100 pads	87500
Easy Dry Tryptic Soy	100 pads	87512
Easy Dry Yeast Extract	100 pads	87513
Easy Dry MacConkey	100 pads	87514
Easy Dry Chromatic Salmonella	100 pads	87515
Easy Dry C-EC MF	100 pads	87516
Easy Dry Tergitol	100 pads	87517
Easy Dry Tergitol + TTC	100 pads	87518
Easy Dry Chromatic Coli Coliform	100 pads	87519
Easy Dry M-Green Yeast & Mould	100 pads	87511
Easy Dry Sabouraud Dextrose	100 pads	87510
Easy Dry Streptococcal KF + TTC	100 pads	87509
Easy Dry Plate Count + TTC	100 pads	87501
Easy Dry Violet Red Bile Glucose	100 pads	87502
Easy Dry TBX	100 pads	87503
Easy Dry m-Endo LES	100 pads	87504
Easy Dry Pseudomonas CN	100 pads	87505
Easy Dry m-Faecal Coliform	100 pads	87506
Easy Dry Slanetz Bartley	100 pads	87507
Easy Dry Bile Aesculin Azide	100 pads	87508
Easy Dry Orange Serum	100 pads	87520






**Ready BAGS**






Ready to use culture media in 3 L or 5 L bags.







Description	Packaging	Ref.
<b>Listeria U.V.M. Broth Bag</b>	3 x 3 L	499010
	3 x 5 L	499015
<b>Listeria Demi Fraser Broth Bag</b>	3 x 3 L	499020
	3 x 5 L	499025
<b>Buffered Peptone Water Bag</b>	3 x 3 L	499030
	3 x 5 L	499035
<b>Maximum Recovery Diluent Bag</b>	3 x 3 L	499040
	3 x 5 L	499045
<b>Tryptic Soy Broth Bag</b>	3 x 3 L	499060

<b>Chromogenic culture media</b>		# Product with minimum order	
Description	Packaging	Ref.	
<p><b>Chromatic™ Candida</b> Chromogenic selective medium for isolation and differentiation of <i>C. albicans</i>, <i>C. tropicalis</i>, <i>C. krusei</i>.</p> 	20 plates 6 bottles x 100 mL 500 g 100 g 20 plates 60 mm	11612 481110 610613 620613 163692 #	
<p><b>Chromatic™ Coliform Agar ISO</b> Chromogenic selective medium for <i>E. coli</i> and coliforms enumeration, especially suitable for waters with low bacterial count, according to ISO 9308-1:2014.</p> <p>Tergitol 1.5% supplement</p> 	20 plates 6 bottles x 100 mL 20 plates 60 mm 450 plates 60 mm 20 plates 55 mm 500 g 100 g 4x40 mL	11630 481190 163852 173852 15346 # 610630 620630 80042	
<p><b>Chromatic™ Coli/Coliform</b> Chromogenic selective medium for <i>E. coli</i> and coliforms isolation and count in foods and water.</p> 	20 plates 6 bottles x 100 mL 500 g 100 g 20 plates 60 mm 20 plates 55 mm	11613 481120 610610 620610 163702 # 15344 #	
<p><b>Chromatic™ Salmonella</b> Chromogenic selective medium for <i>Salmonella</i> spp. isolation and identification (including <i>S. typhi</i>).</p> <p>Tween 20 Supplement</p> 	20 plates 6 bottles x 100 mL 500 g 100 g 20 plates 60 mm 2 x 50 mL	11614 481140 610611 620611 163662 80032	

<b>Chromogenic culture media</b>		# Product with minimum order	
Description	Packaging	Ref.	
<p><b>Chromatic™ Detection</b> Chromogenic medium for urinary bacterial count and identification.</p> 	<p>20 plates 6 bottles x 100 mL 500 g 100 g 5 kg</p>	<p>11611 481130 610612 620612 6106125</p>	
<p><b>Chromatic™ Strepto B</b> Selective chromogenic medium for detecting Group B Streptococci (<i>Streptococcus agalactiae</i>)</p> 	<p>20 plates 6 bottles x 100 mL 500 g 100 g</p>	<p>11617 481180 610617 620617</p>	
<p><b>Chromatic™ Staph aureus</b> Selective chromogenic medium for <i>Staphylococcus aureus</i> isolation.</p> <p>Chromatic™ Staph aureus supplement</p> 	<p>20 plates 6 bottles x 100 mL 500 g 100 g 10 vials</p>	<p>11616 481160 610616 620616 81085</p>	
<p><b>Chromatic™ MRSA</b> Chromogenic medium for methicillin-resistant <i>Staphylococcus aureus</i>.</p> <p>Chromatic™ MRSA supplement</p> 	<p>20 plates 500 g 100 g 10 vials</p>	<p>10599 610615 620615 81078</p>	
<p><b>Chromatic™ Staph.aureus / Chromatic™ MRSA</b> Chromogenic media on double plate for detecting methicillin-resistant <i>Staphylococcus aureus</i>.</p> 	<p>20 plates</p>	<p>18007 #</p>	

<b>Chromogenic culture media</b>		# Product with minimum order
Description	Packaging	Ref.
<p><b>Chromatic™ CRE</b> Chromogenic medium for the detection of carbapenem-resistant Enterobacteriaceae directly from clinical specimens. Chromatic™ CRE supplement</p> 	<p>20 plates 500 g 100 g 10 vials</p>	<p>11619 611619 621619 81088</p>
<p><b>Chromatic™ OXA-48</b> Chromogenic medium for the screening of OXA-48 carbapenemase producing Enterobacteriaceae.</p> 	20 plates	11631
<p><b>Chromatic™ CRE / Chromatic™ OXA-48</b> Chromogenic medium on double plate for detecting carbapenem-resistant Enterobacteriaceae and screening OXA-48 carbapenemase producing Enterobacteriaceae.</p>	20 plates	18023 #
<p><b>Chromatic™ ESBL</b> <b>Chromatic™ ESBL+AmpC</b> Chromogenic medium for the detection of Extended Spectrum Beta-Lactamase producing bacteria. Chromatic™ ESBL supplement Chromatic™ ESBL+AmpC supplement</p> 	<p>20 plates 20 plates 500 g 100 g 10 vials 10 vials</p>	<p>11622 11629 610629 620629 81089 81090</p>
<p><b>Chromatic™ CRE / Chromatic™ ESBL</b> Chromogenic media on double plate for detecting carbapenem-resistant Enterobacteriaceae and Extended Spectrum Beta-Lactamase producing bacteria.</p>	<p>20 plates 100 plates</p>	<p>18021 # 18021* #</p>
<p><b>Chromatic™ Detection / Chromatic™ ESBL</b> Chromogenic media on double plate for urinary bacterial count and identification and for detecting Extended Spectrum Beta-Lactamase producing bacteria.</p>	20 plates	18011 #
<p><b>Chromatic™ VRE</b> Chromogenic medium for screening vancomycin-resistant enterococci.</p> 	20 plates	11621
<p><b>Chromatic™ Bacillus cereus</b> Chromogenic medium for the isolation and differentiation of <i>Bacillus cereus</i> from food samples. Chromatic™ Bacillus cereus selective supplement</p> 	<p>20 plates 10 plates 140 mm 500 g 10+10 vials</p>	<p>11628 10248 # 610628 81097</p>



<b>Chromogenic culture media</b>		# Product with minimum order
Description	Packaging	Ref.
<p><b>O.A. Listeria Agar</b> Selective chromogenic medium for <i>Listeria monocytogenes</i> isolation and differentiation (ISO 11290). O.A. Listeria supplement</p> 	<p>20 plates 500 g 100 g (4+4) x 500 mL</p>	<p>10620 610601 620601 81074</p>
<p><b>Chromatic™ E.coli O157</b> Selective chromogenic medium for detecting <i>E. coli</i> O157.</p> 	<p>20 plates 500 g 100 g 6 bottles x 200 mL</p>	<p>11610 610614 620614 482190 #</p>
<p><b>Chromatic™ Pseudomonas</b> Chromogenic medium for detection of <i>Pseudomonas</i> spp. from clinical specimens and environmental samples.</p>	<p>20 plates</p>	<p>11635</p>
<p><b>Chromatic™ MH</b> Chromogenic Mueller Hinton for presumptive identification and susceptibility testing of bacteria from clinical specimens.</p> 	<p>20 plates 10 plates 140 mm 500 g 100 g</p>	<p>11618 10246 611618 621618</p>
<p><b>Chromatic™ Vibrio</b> Chromogenic medium isolating and differentiating <i>V. parahaemolyticus</i>, <i>V. vulnificus</i> and <i>V. cholerae</i>.</p>	<p>20 plates 500 g</p>	<p>11633 610633</p>
<p><b>TBX Agar</b> Selective chromogenic medium for detecting and enumerating <i>E. coli</i> in food according to ISO 16649.</p> 	<p>20 plates 500 g 100 g 6 bottles x 100 mL</p>	<p>10522 610224 620224 481170</p>

Ready culture media in petri dishes, tubes, bottles		# Product with minimum order	
Description		Packaging	Ref.
<b>A1 Medium</b> Liquid selective medium for fecal coliforms detection in water and food.	APHA	20 tubes	24113
<b>Acetamide Broth</b> Liquid medium for confirming <i>Pseudomonas aeruginosa</i> .	ISO 16266 ISO 12780	20 tubes x 5 mL	24154
<b>Aeromonas Agar</b> Selective medium for <i>Aeromonas</i> spp. isolation.		20 plates	10406 #
<b>Alkaline Peptone Water</b> Liquid enrichment medium for <i>Vibrio</i> spp. isolation.	APHA	20 tubes 6 bottles x 100 mL 25 bottles x 225 mL	24100 # 401990 451404 #
<b>Azide Agar (Sheep blood 5%)</b> Selective medium for streptococci isolation.		20 plates 100 plates	11041 11041*
<b>Azide Dextrose Broth</b> Liquid selective medium for fecal streptococci detection in water and food.	APHA	10 tubes 100 tubes	20114 26114 #
<b>Azide Dextrose Broth (double concentration)</b> Liquid selective medium for fecal streptococci detection in water and food.	APHA	10 tubes 100 tubes	21114 26414 #
<b>Azide Blood Agar Base</b> Base selective medium for streptococci isolation.		6 bottles x 100 mL 6 bottles x 200 mL	402170 412150
<b>Bacillus Cereus Agar (MOSSSEL, MYP)</b> Selective medium for <i>Bacillus cereus</i> isolation and enumeration.	ISO 7932	20 plates	10027
<b>Bacillus Cereus Agar (PEMBA)</b> Selective medium for <i>Bacillus cereus</i> isolation and enumeration.	ISO 21871	20 plates	10007
<b>Baird Parker Agar (Egg yolk tellurite)</b> Selective medium for <i>Staphylococcus aureus</i> isolation in food.	ISO 6888-1	20 plates 100 plates	10020 10020*
<b>Baird Parker Agar + RPF</b> Selective medium for <i>Staphylococcus aureus</i> isolation.	ISO 6888-2	20 plates 6 bottles x 90 mL	10521 420010
<b>Biggy (Nickerson) Agar</b> Selective medium for <i>Candida</i> spp. isolation and presumptive identification.		20 plates 100 plates 10 tubes 6 bottles x 100 mL	10021 10021* 30091 442350
<b>Bile Aesculin Agar</b> Selective medium for group D streptococci isolation.		20 plates 100 plates 10 tubes 6 bottles x 100 mL 6 bottles x 500 mL	10057 10057* 33085 442320 470140
<b>Bile Aesculin Azide Agar w/ Vancomycin</b> Selective medium for isolating vancomycin-resistant enterococci.		20 plates	10411
<b>Bile Aesculin Broth</b> Selective medium for group D streptococci isolation.	ISO 7899-2	20 tubes	24120
<b>Bismuth Sulfite Agar</b> Selective medium for <i>Salmonella</i> spp. isolation.	U.S.P.	20 plates 100 plates	10047 # 10047* #
<b>Blood Agar Base (Sheep blood 7%)</b> Medium for fastidious microorganisms isolation and for haemolysis test.		20 plates 100 plates	10142 10142*
<b>Blood Agar Base</b> Basal medium for fastidious microorganisms isolation. Sheep Blood Defibrinated		6 bottles x 100 mL 6 bottles x 500 mL 1 bottle x 50 mL	402140 470130 # 83296
<b>Bolton Broth</b> Medium for the enrichment of <i>Campylobacter</i> spp. in foods and animal feeding stuff.	ISO 10272-1	6 bottles x 500 mL 6 bottles x 1000 mL 25 bottles x 225 mL	470340 # 400260 # 451405
<b>Brain Heart Infusion Agar</b> Medium for cultivation of fastidious aerobic and anaerobic bacteria.		20 plates 100 plates 10 tubes 6 bottles x 100 mL	10060 10060* 30084 402380 #

Ready culture media in petri dishes, tubes, bottles		# Product with minimum order
Description	Packaging	Ref.
<b>Brain Heart Infusion Broth</b> Broth for cultivation of fastidious aerobic and anaerobic bacteria.	20 tubes 6 bottles x 200 mL 5 tubes x 5mL	24104 412010 # 27502 #
<b>Brilliant Green Agar</b> Selective medium for <i>Salmonella</i> spp. isolation other than <i>S. typhi</i> .	20 plates 100 plates 6 bottles x 100 mL	10022 10022* 402330
<b>Brilliant Green Bile Broth 2%</b> Selective medium for coliforms detection and confirmation.	ISO 4831 ISO 4832 10 tubes	20102
<b>Brucella Blood Agar w Hemin and Vitamin K1</b> Selective medium for <i>Brucella</i> spp. isolation.	20 plates	10245
<b>Brucella Broth</b> Medium for cultivating <i>Brucella</i> spp.	20 tubes	24418
<b>Buffered NaCl Peptone Solution pH 7.0</b> Medium for the microbial examination of non-sterile pharmaceutical products, e.g. solution for sample preparation or dilution or washing solution.	6 bottles x 100 mL	402410
<b>Buffered NaCl Peptone Solution pH 7.0 + N</b> Medium for the microbial examination of non-sterile pharmaceutical products, e.g. solution for sample preparation or dilution or washing solution, with neutralizers.	6 bottles x 100 mL	402620 #
<b>Buffered NaCl Peptone Solution pH 7.0 +NT</b> Medium for the microbial examination of non-sterile pharmaceutical products, e.g. solution for sample preparation or dilution or washing solution, with neutralizers.	6 bottles x 100 mL	402630 #
<b>Buffered Peptone Water</b> Medium for <i>Salmonella</i> pre-enrichment in food.	ISO 6579 ISO 6785 20 tubes 10 mL 20 tubes 9 mL 100 tubes 9 mL 6 bottles 90 mL 6 bottles 100 mL 25 bottles 90 mL 6 bottles 200 mL 6 bottles 225 mL 25 bottles 225 mL	24099 24199 # 26199 # 414030 400040 454030 # 412090 414020 451402
<b>Buffered Peptone Water (Double Concentration)</b> Medium for <i>Salmonella</i> pre-enrichment in food.	20 tubes	24463 #
<b>Buffered Peptone Solution</b> Solution for samples dilution.	E.P. ISO 21149 6 bottles x 100 mL	402410
<b>Burkholderia cepacia Selective Agar (BCSA)</b> Selective medium for the isolation of <i>Burkholderia cepacia</i> from clinical and non-clinical specimens.	20 plates	11506 #
<b>Campylobacter Agar (Sheep blood 5%)</b> Selective medium for <i>Campylobacter</i> spp. isolation.	20 plates 100 plates	10050 10050*
<b>Campylobacter Agar Base</b> Selective basal medium for <i>Campylobacter</i> spp. isolation. Sheep Blood Defibrinated	6 bottles x 200 mL 1 bottle x 50 mL	413030 # 83296
<b>Campylobacter Broth</b> Selective medium for <i>Campylobacter</i> spp. enrichment.	20 tubes	24404
<b>Campylobacter CCDA Agar</b> Selective medium for <i>Campylobacter</i> spp. isolation.	20 plates	10409 #
<b>Campylobacter Karmali Agar</b> Selective medium for <i>Campylobacter</i> spp. isolation from clinical samples.	20 plates	10145
<b>Campylobacter Preston Agar</b> Selective medium for <i>Campylobacter</i> spp. detection from clinical specimens.	20 plates	10146 #
<b>Casitone Agar</b> Medium for fastidious microorganisms growth.	20 plates	10079
<b>CASO Broth (Double Concentration)</b> General purpose medium for the cultivation of bacteria and fungi.	EP, USP, JP, BP 20 tubes	24459 #
<b>Cetrimide Agar</b> Selective medium for <i>Pseudomonas aeruginosa</i> isolation.	E.P. 20 plates 100 plates 6 bottles x 100 mL 6 bottles x 200 mL	10033 10033* 402270 412270
<b>Chocolate Agar</b> Medium for fastidious microorganisms isolation.	20 plates 100 plates 10 tubes 6 bottles x 100 mL 6 bottles x 500 mL	10023 10023* 30099 442220 470120 #

<b>Ready culture media in petri dishes, tubes, bottles</b>		# Product with minimum order	
Description		Packaging	Ref.
<b>Chocolate Bacitracin Agar</b> Selective medium for <i>Haemophilus</i> spp. isolation.		20 plates 100 plates	11023 11023*
<b>Christensen Urea Agar</b> Medium for enterobacteria urease test.	ISO 6785 ISO 6579	10 tubes 5 bottles x 200 mL 20 plates	30081 412100 10064 #
<b>CLED Agar</b> Medium for total bacterial count in urine.		20 plates 100 plates 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	10026 10026* 402180 412180 470110
<b>CLED Andrade Agar</b> Medium for total bacterial count of urine.		20 plates 100 plates	10004 10004*
Sheep Blood Defibrinated		1 bottle x 50 mL	83296
<b>Clostridium Agar (Sheep Blood 5%)</b> Selective medium for <i>Clostridium difficile</i> isolation.		20 plates	11060 #
<b>Columbia Agar Base</b> Basal medium for fastidious microorganisms isolation. Sheep Blood Defibrinated		6 bottles x 200 mL 6 bottles x 500 mL 1 bottle x 50 mL	452210 470100 # 83296
<b>Columbia Agar (Horse blood 5%)</b> Medium for streptococci, staphylococci and pneumococci isolation.		20 plates 100 plates	10025 10025*
<b>Columbia Agar (Sheep blood 5%)</b> Medium for fastidious microorganisms isolation.		20 plates 100 plates	11025 11025*
<b>Columbia Agar (Sheep blood 5%) + Vancomycin</b> Medium for identification and differentiation of heteroresistant vancomycin-intermediate <i>S.aureus</i> (h-VISA) and vancomycin-intermediate <i>S.aureus</i> (VISA) from vancomycin-susceptible <i>S.aureus</i> (VSSA)		20 plates	11517 #
<b>Columbia C.N.A. Agar (Sheep blood 5%)</b> Medium for streptococci, staphylococci and pneumococci isolation.		20 plates 100 plates	11024 11024*
<b>Columbia C.N.A. Agar Base</b> Selective basal medium for streptococci, staphylococci and pneumococci isolation. Sheep Blood Defibrinated		6 bottles x 100 mL 6 bottles x 200 mL 1 bottle x 50 mL	402210 412210 83296
<b>Columbia C.N.A. MOD. Agar (Sheep blood 5%)</b> Selective medium for streptococci isolation.		20 plates 100 plates	11124 11124*
<b>Cooked Meat Medium</b> Medium for cultivating anaerobic bacteria.		20 tubes	24071 #
<b>Copro KIT 1 (Selenite Broth)</b> Enrichment medium for <i>Salmonella</i> spp. isolation in feces.		10 test	85501 #
<b>Copro KIT 2 (Salmonella Differential Broth)</b> Selective medium for <i>Salmonella</i> spp. screening and isolation in feces.		10 test	85502 #
<b>Corn Meal Agar</b> Medium for cultivating yeasts.		20 plates	11507 #
<b>Crystal Violet Agar (Sheep blood 5%)</b> Selective medium for streptococci isolation.		20 plates 100 plates	10042 # 10042 **
<b>Czapek Dox Agar</b> Selective medium for saprophytic fungi cultivation .		20 plates	10017 #
<b>Demi Fraser Broth</b> Medium for <i>Listeria</i> spp. enrichment.	ISO 11290-1	6 bottles x 225 mL 25 bottles x 225 mL 6 bottles x 90 mL 25 bottles x 90 mL	414000 451400 424010 # 452401 #
<b>Dermatophyte (D.T.M.) Agar</b> Selective medium for dermatophyte fungi isolation.		20 plates 100 plates 10 tubes 6 bottles x 100 mL	11052 11052* 33086 # 402200
<b>Desoxycholate Agar</b> Selective medium for enterobacteria isolation.	APHA	20 plates 6 bottles x 100 mL 6 bottles x 500 mL	11027 402340 470030 #
<b>Dichloran Rose Bengal CAF Agar</b> Selective medium for detecting yeasts and moulds in foods.	ISO 21527	20 plates 100 plates 6 bottles x 200 mL	10097 10097* 412410 #
<b>Dichloran Glycerol (DG18) Agar</b> Selective medium for the enumeration of yeasts and moulds.	ISO 21527	20 plates 6 bottles x 200 mL	10098 412430
<b>E.C. Broth</b> Selective Broth for fecal coliforms detection and for <i>E. coli</i> confirmation.	ISO 7251	10 tubes	20122

<b>Ready culture media in petri dishes, tubes, bottles</b>		# Product with minimum order	
Description		Packaging	Ref.
<b>E.E. Broth (Mossel)</b> Broth for enterobacteria selective enrichment.	EP	20 tubes 6 bottles x 100 mL 25 bottles x 100 mL (flip-off cap)	24096 # 402480 453080 #
<b>EMB Levine Agar</b> Selective medium for gram-negative enteric bacteria isolation.	USP	20 plates 100 plates 6 bottles x 100 mL	10048 10048* 402350
<b>Endo Agar</b> Medium for coliforms detection, enumeration and confirmation test.	APHA	6 bottles x 100 mL	403010
<b>Enterobacter (Cronobacter) sakazakii Isolation Agar</b> Selective medium for <i>Cronobacter sakazakii</i> isolation.	ISO 22964	20 plates	11623 #
<b>Enterococcus Agar (Bile Aesculin Azide Agar)</b> Selective medium for group D streptococci isolation.		20 plates 100 plates	11057 11057*
<b>Enterococcus Agar + Vancomycin</b> Selective medium for detecting and counting vancomycin-resistant enterococci.		20 plates	11501
<b>Enterococcus Screen Agar 4 sectors</b> Four media in one plate for detecting high level Vancomycin and Aminoglycoside resistant enterococci.		20 plates	14101 #
<b>Eugon LT 100 Agar</b> Medium for detection and enumeration of mesophilic bacteria in cosmetic products.	ISO 21149	20 plates	10133 #
<b>Eugon LT 100 Broth</b> Broth for detecting and enumerating aerobic bacteria in cosmetic products.		20 tubes x 10 mL 20 tubes x 9 mL 100 tubes x 9 mL 6 bottles x 45 mL 6 bottles x 90/125 mL 6 bottles x 90/200 mL	24094 240949 260949 402400 403400 413400
<b>Fluid A</b> Solution for diluting or rinsing when performing sterility testing.	EP, USP	6 bottles x 100 mL 25 bottles x 100 mL 25 bottles x 100 mL (flip-off cap) 6 bottles x 300 mL (flip-off cap) 6 bottles x 1000 mL	495030 # 459503 # 403010 # 400110 # 400210 #
<b>Fluid D</b> Solution for diluting or rinsing when performing sterility testing.	EP, USP	6 bottles x 100 mL 25 bottles x 100 mL 25 bottles x 100 mL (flip-off cap) 6 bottles x 300 mL (flip-off cap)	495040 # 459504 # 453070 # 400170 #
<b>Fluid Thioglycollate Medium (screw cap)</b> Broth for aerobic and anaerobic bacteria culture in sterility tests.	ISO 7937	20 tubes 100 tubes 6 bottles x 100 mL 25 bottles x 100 mL 6 bottles x 500 mL 6 bottles x 900 mL	24124 26124 452060 453060 470300 463100 #
<b>Fluid Thioglycollate Medium (crimp cap)</b> Broth for aerobic and anaerobic bacteria culture in sterility tests.		6 bottles x 100 ml	495020 #
<b>Fluid Thioglycollate Medium (flip-off cap)</b> Broth for aerobic and anaerobic bacteria culture in sterility tests.		6 bottles x 100 ml 25 bottles x 100 mL	400020 # 453020 #
<b>Fluid Thioglycollate Medium (perforable cap)</b> Broth for aerobic and anaerobic bacteria culture in sterility tests.		6 bottles x 100 ml	493000 #
<b>Fluid Thioglycollate Medium + 1% Tween 80</b> Broth for aerobic and anaerobic bacteria culture in sterility tests.		6 bottles x 100 mL 25 bottles x 100 mL	402500 # 452500 #
<b>Gardnerella Agar (Sheep blood 5%)</b> Selective medium for <i>Gardnerella vaginalis</i> isolation.		20 plates 100 plates	11054 11054*
<b>GBS Agar (Granada)</b> Medium for the isolation and identification of <i>Streptococcus agalatae</i> (Group B Streptococci).		20 plates	10421 #
<b>Glucose Broth</b> Broth for bacteria growth.		10 tubes 100 tubes	20105 26105
<b>G.N. Hajna Broth</b> Broth for gram-negatives enrichment.		20 tubes	24119
<b>Haemophilus Test Agar</b> Medium for <i>Haemophilus</i> spp. sensitivity testing.		20 plates	10080

Ready culture media in petri dishes, tubes, bottles		# Product with minimum order	
Description		Packaging	Ref.
<b>Haemophilus Test Broth</b> Broth for <i>Haemophilus</i> spp. sensitivity testing.		20 tubes	24091 #
<b>Helicobacter pylori Test</b> Selective broth for <i>Helicobacter pylori</i> isolation in bioptical samples.		20 test	20090
<b>Helicobacter pylori Agar</b> Selective medium for <i>Helicobacter pylori</i> isolation.		20 plates	10082
<b>Helicobacter pylori Egg Yolk Emulsion Agar</b> Medium for the cultivation of <i>Helicobacter pylori</i> .		20 plates	10605 #
<b>Hektoen Enteric Agar</b> Selective medium for pathogenic enterobacteria isolation.	ISO 21567	20 plates 100 plates 6 bottles x 100 mL 6 bottles x 200 mL	10043 10043* 402230 412230
<b>Herellea Agar</b> Selective medium for gram negative bacteria isolation.		20 plates 100 plates	11143 11143*
<b>Isosensitest Agar</b> Medium for susceptibility test.		20 plates 100 plates	10028 10028*
<b>IUTM Medium</b> Medium for mycobacteria detection and sensitivity test.		10 tubes	33118
<b>King's B Medium</b> Medium for the detection and enumeration of <i>Pseudomonas</i> spp. in water.		20 plates	11072
<b>Kligler Iron Agar</b> Differential medium for enterobacteria identification.	ISO 10273	10 tubes	30087
<b>Lactose Broth</b> Broth for coliforms detection.	ISO 9308-2	10 tubes 6 bottles x 100 mL	20106 402090
<b>Lactose Broth (double concentration)</b> Broth for coliforms detection.	ISO 9308-2	10 tubes	21106
<b>Lauryl Sulfate Tryptose Broth (LST)</b> Selective medium for the detection of coliform bacteria in water and food.	APHA	10 tubes x 10 mL 100 tubes x 10 mL	21453 # 26453 #
<b>Lauryl Sulfate Tryptose Broth (LST) double concentration</b> Selective medium for the detection of coliform bacteria in water and food.	APHA	10 tubes x 10 mL 100 tubes x 10 mL	21454 # 26454 #
<b>Lauryl Sulfate Tryptose Broth Modified (mLST)</b> Selective medium for the enrichment of <i>Cronobacter sakazakii</i> .	ISO 22964	20 tubes x 10 mL	24452
<b>Lauryl Sulfate Tryptose Broth (LST) with MUG</b> Selective medium for the fluorogenic detection of <i>E. coli</i> in water and food.		10 tubes x 3 mL 100 tubes x 3 mL 20 tubes x 9 mL 100 tubes x 9 mL	21455 # 26455 # 24457 # 26457 #
<b>L.B. Medium</b> Medium for recombinant <i>Escherichia coli</i> cultivation.		6 bottles x 200 mL	412390
<b>Legionella BCYE Agar</b> Non-selective medium for <i>Legionella</i> spp. isolation.	ISO 11731 ISO 11731-2	20 plates 100 plates	10051 10051*
<b>Legionella BCYE Agar w/o cysteine</b> Non-selective medium for <i>Legionella</i> spp. isolation.	ISO 11731 ISO 11731-2	20 plates	10412
<b>Legionella BCYE Agar w/ Vancomycin + Colistin</b> Selective medium for <i>Legionella</i> spp. isolation.		20 plates #	10424
<b>Legionella BMPA Agar</b> Selective medium for <i>Legionella</i> spp. isolation.		20 plates	10134
<b>Legionella GVPC Agar</b> Selective medium for <i>Legionella</i> spp. isolation.	ISO 11731 ISO 11731-2	20 plates 100 plates	10128 10128*
<b>Legionella MWY Agar</b> Selective medium for <i>Legionella</i> spp. isolation.	ISO 11731 ISO 11731-2	20 plates	10127
<b>Lethen Broth</b> Broth for the determination of the phenol coefficient of quaternary ammonium compounds.	AOAC	20 tubes	24170
<b>Listeria Aesculin Agar</b> Selective medium for <i>Listeria</i> spp. isolation.	ISO 11290-1	20 plates	11230
<b>Listeria Fraser Broth</b> Broth for <i>Listeria</i> spp. enrichment.	ISO 11290-1	20 tubes 100 tubes 10 tubes x 9 mL 6 bottles x 225 mL	24131 26131 20131/9 413980
<b>Listeria Palcam Agar</b> Selective medium for <i>Listeria</i> spp. isolation.	ISO 11290-1	20 plates	10041

<b>Ready culture media in petri dishes, tubes, bottles</b>		# Product with minimum order	
Description		Packaging	Ref.
<b>Listeria Selective Broth</b> Enrichment broth for <i>Listeria</i> spp. isolation.		6 bottles x 200 mL	412070
<b>Listeria UVM 1 Broth</b> Enrichment broth for <i>Listeria</i> spp. isolation.	USDA-FSIS	6 bottles x 225 mL	461030 #
<b>Listeria UVM 2 Broth</b> Enrichment broth for <i>Listeria</i> spp. isolation.	USDA-FSIS	6 bottles x 225 mL	461020
<b>Liver Broth</b> Liquid medium for cultivating a wide variety of fastidious organisms, from clinical and non-clinical specimens.		20 tubes	20070 #
<b>Loeffler Medium</b> Medium for <i>Corynebacterium diphtheriae</i> cultivation.		10 tubes	30116
<b>Lowenstein Jensen Medium</b> Medium for mycobacteria isolation.		10 tubes	30118
<b>Lowenstein Jensen Medium W/O Glycerol</b> Medium for mycobacteria isolation.		10 tubes	30119
<b>Lysine Decarboxylase Broth</b> Medium for lysine decarboxylation test.	APHA	10 tubes	24139
<b>Lysine Iron Agar</b> Differential medium for enterobacteria identification.		10 tubes 6 bottles x 200 mL	30098 412040 #
<b>M17 Agar</b> Medium for lactic streptococci enumeration.		6 bottles x 100 mL	402110 #
<b>MRS Agar</b> Medium for lactobacilli isolation.	ISO 15214	20 plates 100 plates 6 bottles x 100 mL	10090 10090* 402120
<b>MSRV Agar (Modified Semisolid Rappaport Vassiliadis)</b> Selective medium for <i>Salmonella</i> spp. isolation.		20 plates 100 plates 6 bottles x 200 mL 6 bottles x 500 mL	10049 10049* 412310 # 470380 #
<b>MacConkey Agar</b> Selective medium for Gram-negative bacteria isolation.	E.P.	20 plates 100 plates 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	10029 10029* 402240 412240 470090
<b>MacConkey Agar no.2</b> Selective medium for the detection of enterococci, in the presence of coliforms and non-lactose fermenters from water, sewage, food products, etc.		20 plates 100 plates	10438 # 10438* #
<b>MacConkey Broth</b> Selective Broth for coliforms isolation.		10 tubes 6 bottles x 100 mL 25 bottles x 100 mL (flip-off cap)	20126 402490 453090 #
<b>MacConkey MUG Agar</b> Selective medium for <i>Escherichia coli</i> isolation.	E.P.	20 plates	10129 #
<b>MacConkey Sorbitol Agar</b> Selective medium for <i>Escherichia coli</i> O157 isolation.		20 plates 6 bottles x 100 mL	10005 402450 #
<b>MacConkey S-CT Agar E.Coli O157</b> Selective and differential medium for the detection of <i>Escherichia coli</i> serotype O157:H7.		20 plates	11514
<b>Malonate Broth</b> Broth for enterobacteria differentiation.		20 tubes	24137 #
<b>Malt Agar</b> Medium for yeasts and moulds isolation.		20 plates	10418 #
<b>Malt Extract Agar</b> Medium for yeasts and moulds isolation.		6 bottles x 100 mL	402470
<b>Mannitol Salt Agar</b> Selective medium for pathogenic staphylococci isolation (harmonized European Pharmacopoeia).	EP, USP, JP	20 plates 100 plates 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	10030 10030* 402290 412290 470080
<b>Marine Salt Agar</b> Medium for cultivating heterotrophic marine bacteria.		20 plates	10426 #
<b>Marine Salt Cycloheximide Agar</b> Medium for cultivating heterotrophic marine bacteria with inhibition of bacterivores.		20 plates	10427 #

Ready culture media in petri dishes, tubes, bottles		# Product with minimum order	
Description		Packaging	Ref.
<b>Maximum Recovery Diluent</b> Isotonic diluent for microorganisms optimal recovery.	ISO 6887-1	6 bottles x 100 mL 6 bottles x 200 mL 20 tubes x 9 mL	402590 412400 20071
<b>Maximum Recovery Diluent with Cystein</b> Isotonic diluent for microorganisms optimal recovery.		100 tubes	26458
<b>Maximum Recovery Diluent + Tween + Lecithin modified (Perforable)</b> Isotonic diluent for microorganisms optimal recovery.		6 bottles x 1000 mL	495140
<b>m-Endo Agar LES</b> Medium for coliforms isolation and enumeration in water by membrane filtration.	APHA	20 plates 100 plates	11053 11053*
<b>m-Faecal Coliform Agar</b> Selective medium for fecal coliforms isolation and enumeration in water by membrane filtration.	APHA	20 plates 100 plates 6 bottles x 100 mL	11210 11210* 403020
<b>Middlebrook 7 H 10 Agar</b> Medium for mycobacteria culture.		10 tubes	30368 #
<b>Middlebrook 7H11 Agar</b> Medium for antimicrobial susceptibility testing of mycobacteria.		20 plates	10416
<b>Milk Agar</b> Medium for microorganisms enumeration in milk.		6 bottles x 150 mL	401950
<b>Milk Plate Count Agar</b> Medium for the isolation and enumeration of microorganisms in milk and dairy products.		20 plates 100 plates 6 bottles x 500 mL	10433 # 10433* # 463120 #
<b>Mineral Modified Glutammate Medium</b> Liquid medium for the selective enrichment of $\beta$ -glucuronidase positive <i>Escherichia coli</i> from food, water and environmental samples.		20 tubes 100 tubes	24466 # 26466 #
<b>Mineral Modified Glutammate Medium (Double Concentration)</b> Liquid medium for the selective enrichment of $\beta$ -glucuronidase positive <i>Escherichia coli</i> from food, water and environmental samples.		20 tubes 100 tubes	24467 # 26467 #
<b>Mossel and Martin w/ Mannitol</b> Medium for detecting oxidation and fermentation reactions.		20 tubes	24413
<b>Motility Test Medium</b> Medium for bacterial motility determination.		20 tubes	24342
<b>MR-VP Medium</b> Medium for carrying out Methyl Red (MR) and Voges-Proskauer (VP) tests.	ISO 6785 ISO 6579	20 tubes	24149
<b>mTSB with Novobiocin</b> Medium for the selective enrichment of enterohemorrhagic <i>E. coli</i> in food.	ISO 16654	6 bottles x 225 mL	432090 #
<b>Mueller Hinton Agar II</b> Medium for susceptibility test (Kirby Bauer method), low concentration of thymine-thymidine with Ca <sup>++</sup> and Mg <sup>++</sup> .	CLSI	20 plates 100 plates 10 plates 140 mm 5 plates 120x120 mm 10 tubes 10 tubes x 22 mL 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	10031 10031* 10231 # 12031 # 30090 # 34075 # 402250 412250 470070
<b>Mueller Hinton Agar II + 2% NaCl</b> Medium for antimicrobial susceptibility testing of staphylococci with Oxacillin.	CLSI	20 plates	11206 #
<b>Mueller Hinton Broth II</b> Broth for susceptibility test (Kirby Bauer method), low concentration of thymine-thymidine with Ca <sup>++</sup> and Mg <sup>++</sup> .	CLSI	20 tubes 6 bottles x 100 mL	24107 402020
<b>Mueller Hinton Agar II (Sheep blood 5%)</b> Medium for susceptibility testing to antibiotics of fastidious microorganisms.	CLSI	20 plates 100 plates 10 plates 140 mm	10131 10131* 11231
<b>Mueller Hinton II Fastidious Agar (Horse blood 5% + 20 mg/L <math>\beta</math>-NAD)</b> Medium for antimicrobial susceptibility testing of <i>Streptococcus</i> spp., <i>Haemophilus</i> spp., and some other fastidious organisms.	EUCAST	20 plates 10 plates 140 mm	10132 11132 #
<b>Mueller Hinton Agar II + Cloxacillin</b> Medium for the screening of ESBL producing Enterobacteriaceae.		20 plates	11518 #
<b>Muller Kauffmann Broth</b> Broth for <i>Salmonella</i> spp. selective enrichment.		20 tubes 6 bottles x 100 mL	24108 402030
<b>Muller Kauffmann Tetrathionate Novobiocin Broth (MKTTn)</b> Selective enrichment broth for the isolation of <i>Salmonella</i> spp. from food samples.	ISO 6579	6 bottles x 100 mL 20 tubes x 10 mL 100 tubes x 10 mL	403110 20072 26072
<b>Mycoplasma Agar</b> Selective medium for isolating urogenital mycoplasma.		20 plates	11205



<b>Ready culture media in petri dishes, tubes, bottles</b>		# Product with minimum order	
Description		Packaging	Ref.
<b>Mycoplasma Transport Broth</b> Liquid medium for transporting and storing clinical specimen for mycoplasma and other pathogenic microorganisms detection.		20 vials	20158
<b>Mycosel Agar</b> Selective medium for pathogenic fungi isolation.		20 plates 100 plates	11070 11070*
<b>Mycosel Broth</b> Selective Broth for pathogenic fungi isolation.		20 tubes	24070
<b>Neutralizing w Saponin</b> Medium for sterility control with inactivation of disinfectants.		6 bottles x 200 mL	413050 #
<b>Nutrient Agar</b> Medium for microorganism growth and enumeration.	ISO 12780	20 plates 100 plates 10 tubes 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL 50 tubes x 5 mL	10044 10044* 30083 402190 412190 470060 # 27503 #
<b>Nutrient Broth</b> Broth for microorganisms culture.	APHA	20 tubes 10 tubes x 10 mL 6 bottles x 100 mL	24103 30101 402000
<b>Nutrient Gelatin</b> Medium for gelatin liquefaction test.		20 tubes	24153 #
<b>O.F. Medium with Glucose</b> Semi-solid medium for determining the oxidative and/or fermentative metabolism of Gram-negative bacilli.		20 tubes	24345
<b>OGYE Agar (Oxytetracycline)</b> Selective medium for yeasts and moulds isolation.	ISO 21527-1 ISO 21527-2	20 plates 100 plates	11055 11055*
<b>ONPG Agar</b> Medium for lactose fermenting bacteria differentiation.		10 tubes	33066 #
<b>Orange Serum Agar</b> Medium for isolation and count of bacteria and yeasts in citrus fruits and derivatives.	APHA	20 plates	10089 #
<b>PAR Test Agar</b> Medium containing spores of <i>Geobacillus stearothermophilus</i> var. <i>calidolactis</i> C953 for residual antibiotic detection in biological liquids, milk and food.		20 plates 100 plates	11200 11200*
Blank Discs Paper discs.		250 discs	9999
<b>Peptone Neutralizing Solution</b> Medium for bacterial cultivation.		6 bottles x 45 mL	401870
<b>Peptone Water</b> Medium for indole production test.	ISO 7251	20 tubes 6 bottles x 100 mL	24098 402130
<b>Phenol Red Broth</b> Base broth for carbohydrate fermentation.		10 tubes	21146 #
<b>Phenylalanine Agar</b> Medium for enterobacteria differentiation. Ferric Chloride 10% Reagent for phenylalanine deamination test.		10 tubes 6 bottles x 200 mL 2 bottles x 25 mL 20 x 2.5 mL	30085 412170 80272 87004
<b>Physiological Solution</b> Physiological solution for microbiological use.		20x7 mL 6 x 500 mL 6 x 240 mL	20095 473000 471120
<b>Plate Count Agar</b> Medium for bacterial count in water and foodstuffs.	ISO 4833	20 plates 100 plates 10 tubes 10 tubes x 22 mL 6 bottles x 100 mL 6 bottles x 150 mL 6 bottles x 200 mL 6 bottles x 500 mL	10032 10032* 33070 # 34073 402260 401940 412260 470180
<b>Potato Dextrose Agar</b> Medium for yeasts and moulds enumeration.	E.P.	20 plates 100 plates	11199 # 11199*
<b>Pseudomonas CN Agar</b> Selective medium for <i>Pseudomonas</i> spp. isolation.	EN 12780	20 plates	11034
<b>Pseudomonas Selective Agar (CFC) (Cetrimide, Fucidin, Cephaloridine)</b> Selective medium for <i>Pseudomonas</i> spp. isolation.		20 plates	10061
<b>Purple Glucose Agar</b> Medium for enterobacteriaceae identification.	ISO 21528	20 tubes	24151


<b>Ready culture media in petri dishes, tubes, bottles</b>		# Product with minimum order	
Description		Packaging	Ref.
<b>Purple Lactose Broth</b> Broth for coliforms isolation.		10 tubes	20140 #
<b>R2 Agar</b> Medium for heterotrophic microorganisms count in drinking water.	E.P.	20 plates 6 bottles x 500 mL 6 bottles x 500 mL screw cap	10019 472580 463110 #
<b>Rappaport Broth w/o Soy</b> Selective enrichment liquid medium for detection of motile <i>Salmonella</i> spp. from food and environmental samples.		20 tubes x 10 mL	24450 #
<b>Rappaport Vassiliadis Soy (RSV) Broth</b> Broth for <i>Salmonella</i> enrichment.	ISO 6785 ISO 6579	20 tubes 100 tubes 6 bottles x 100 mL	24400 26400 402550 #
<b>Rogosa Agar</b> Selective medium for lactobacilli isolation and enumeration.		20 plates 100 plates	10039 10039*
<b>Rose Bengal CAF Agar</b> Selective medium for yeasts and moulds isolation and enumeration.	APHA	20 plates 100 plates 6 bottles x 100 mL	10034 10034* 442480 #
<b>RPMI Agar (2% glucose + MOPS)</b> Medium for antifungal susceptibility testing.		20 plates 10 plates 140 mm	11509 10233 #
<b>RPMI Broth</b> Broth for the antifungal susceptibility testing with broth dilution method.		20 tubes	24461 #
<b>SF Broth</b> Selective Broth for fecal streptococci isolation.	AOAC	20 tubes	24411
<b>SPS Agar</b> Medium for <i>Clostridium perfringens</i> isolation and enumeration.	APHA	20 plates 100 plates 10 tubes 6 bottles x 100 mL 6 bottles x 150 mL	11196 # 11196* # 33065 442490 401930
<b>SS Agar</b> Selective medium for <i>Salmonella</i> and <i>Shigella</i> isolation.		20 plates 100 plates 6 bottles x 100 mL 6 bottles x 200 mL	10036 10036* 402300 412300
<b>Sabouraud Dextrose Agar</b> Medium for yeasts and moulds isolation.	E.P.	20 plates 20 plates Irradiated 100 plates 10 tubes 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	10035 10035S 10035* 30093 402280 412280 470040
<b>Sabouraud CAF Agar</b> Selective medium for pathogenic fungi isolation.		20 plates 100 plates 6 bottles x 100 mL 6 bottles x 200 mL	11035 11035* 402370 412370
<b>Sabouraud CAF Agar + Actidione</b> Selective medium for pathogenic fungi isolation.		10 tubes	30024 #
<b>Sabouraud CAF Agar + Gentamicin</b> Selective medium for pathogenic fungi isolation.		20 plates	10235
<b>Sabouraud CAF Agar + Neutralizing</b> Selective medium for pathogenic fungi isolation.		20 plates	10437 #
<b>Sabouraud CAF Agar + TTC</b> Selective medium for pathogenic fungi isolation.		20 plates 100 plates	11235 # 11235* #
<b>Sabouraud CAF Agar + Penase + Cephalosporinase + Neutralizing (Irradiated)</b> Medium for yeasts and moulds isolation with inactivation of disinfectants and penicillins.		20 plates	10109S #
<b>Sabouraud Agar + Gentamicin</b> Selective medium for pathogenic fungi isolation.		20 plates 100 plates	11335 11335*
<b>Sabouraud Dextrose Agar + Lactamator 500 IU + Neutralizing (Irradiated)</b> Medium for yeasts and moulds isolation with inactivation of $\beta$ -lactam antibiotics and disinfectants.		20 plates	10108S #
<b>Sabouraud Dextrose Agar + 0.1% Penase + Neutralizing (Irradiated)</b> Medium for yeasts and moulds isolation with inactivation of disinfectants and penicillins.		20 plates	10088S #
<b>Sabouraud Dextrose Broth</b> Broth for yeasts and moulds culture.	E.P.	20 tubes 6 bottles x 100 mL 6 bottles x 500 mL	24109 402040 # 471070 #
<b>Scedosporium Selective Agar</b> Selective medium for the detection of <i>Scedosporium</i> spp. from clinical specimens.		20 plates	10425 #

<b>Ready culture media in petri dishes, tubes, bottles</b>		# Product with minimum order	
Description		Packaging	Ref.
<b>Schaedler Broth</b> Culture Broth for anaerobic bacteria culture.		10 tubes	22130
<b>Schaedler CNA Agar (Sheep blood 5%)</b> Medium for cultivating and isolating fastidious organisms.		20 plates	10405
<b>Schaedler K Agar (Sheep blood 5%)</b> Medium for antimicrobial susceptibility testing of anaerobic bacteria.		20 plates 100 plates	11065 11065*
<b>Schaedler KKV Agar (Sheep blood 5%)</b> Selective medium for anaerobic gram-negative bacteria isolation		20 plates 100 plates	10065 10065*
<b>Selenite Broth</b> Broth for <i>Salmonella</i> spp. enrichment.	APHA	20 tubes 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL 6 bottles x 1000 mL	24110 402050 412050 470020 463130
<b>Selenite Cystine Broth</b> Broth for selective enrichment of <i>Salmonella</i> spp.	ISO 6785	20 tubes 6 bottles x 100 mL	24510 # 402390
<b>Serum Broth</b> Broth for fastidious microorganisms enrichment.		20 tubes	24125 #
<b>SIM Medium</b> Differential medium for indole, motility and H <sub>2</sub> S tests.	U.S.P.	10 tubes 6 bottles x 100 mL	30095 403050
<b>Simmons Citrate Agar</b> Differential medium for enterobacteria identification.	ISO 10273	10 tubes 6 bottles x 200 mL	30011 412030
<b>Slanetz-Bartley Agar</b> Selective medium for fecal streptococci enumeration and isolation.	ISO 7899-2	20 plates 100 plates	11058 11058*
<b>Streptococcal KF+TTC Agar</b> Selective medium for fecal streptococci isolation and enumeration.	APHA	20 plates 100 plates 10 tubes	10038 10038* 30010 #
<b>Streptococcal KF Agar</b> Selective medium for fecal streptococci isolation and enumeration.  TTC 1% supplement Supplement for bacteria differentiation	APHA	6 bottles x 100 mL  5x10 mL	402150  80300
<b>Streptococcus Broth</b> Selective broth for streptococci isolation.		20 tubes	24412
<b>Sulfate Reducers Broth</b> Broth for sulfate reducers bacteria detection.		20 tubes	24440 #
<b>TCBS Agar</b> Selective medium for <i>Vibrio</i> spp. isolation.		20 plates 100 plates	11195 11195*
<b>TSI Agar</b> Differential medium for enterobacteriaceae identification.	U.S.P.	10 tubes 6 bottles x 200 mL	30096 413020
<b>Tergitol TTC Agar</b> Selective medium for coliforms enumeration and identification.	ISO 9308-1	20 plates 100 plates	10428 # 10428* #
<b>Tergitol 7 Agar</b> Selective medium for detecting <i>E. coli</i> and coliforms.		20 plates	10417 #
<b>Tetrathionate Broth</b> Selective enrichment medium for the isolation of <i>Salmonella</i> spp.		20 tubes	24451 #
<b>Thayer-Martin Agar</b> Selective medium for pathogenic neisseriae isolation.		20 plates 100 plates	11040 11040*
<b>Todd Hewitt Broth</b> Medium for group A β-haemolytic streptococci culture.		20 tubes 6 bottles x 200 mL 50 tubes x 5 mL	24111 412060 27501 #
<b>Todd Hewitt Broth w Colistin / Nalidixic Acid</b> Selective medium for cultivating and isolating group B streptococci.		20 tubes	24145
<b>Trichomonas Broth</b> Culture broth for <i>Trichomonas</i> spp.		20 tubes 6 bottles x 500 mL	24115 470150 #
<b>Triple Sugar Iron Agar</b> Differential medium for enterobacteriaceae identification.	ISO 6579	10 tubes	30100
<b>Tryptic Soy Agar</b> Medium for non-fastidious bacteria growth.	E.P.	20 plates 100 plates 10 plates 140 mm 20 plates Irradiated 20 plates 18 mL Irrad. 10 tubes 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	10037 10037* 10222 # 10037S 10076S # 30082 442290 432290 470010

Ready culture media in petri dishes, tubes, bottles		# Product with minimum order
Description	Packaging	Ref.
<b>Tryptic Soy Agar (Sheep blood 5%)</b> Medium for fastidious bacteria isolation.	20 plates 100 plates	11037 11037*
<b>Tryptic Soy Agar + Lactamator 500 IU + Neutralizing (Irradiated)</b>	20 plates	10104S #
<b>Tryptic Soy Agar + Lactamator 1000 IU (Irradiated)</b>	20 plates	10103S #
<b>Tryptic Soy Agar + Lactamator 1000 IU + Neutralizing (Irradiated)</b> Irradiated medium for non-fastidious bacteria growth with inactivation of $\beta$ -lactam antibiotics and disinfectants.	20 plates 20 plates 30 mL	10105S # 10110S #
<b>Tryptic Soy Agar + Neutralizing (Irradiated)</b> Irradiated medium for non-fastidious bacteria growth with inactivation of disinfectants.	20 plates 20 plates 30 mL	10074S 10059S #
<b>Tryptic Soy Agar + Neutralizing</b> Medium for non-fastidious bacteria growth with inactivation of disinfectants.	10 plates 140 mm	10226 #
<b>Tryptic Soy Agar + 0.1% Penase + Neutralizing</b> <b>Tryptic Soy Agar + 0.1% Penase + Neutralizing (Irradiated)</b>	20 plates 20 plates 20 plates 30 mL	10086 # 10086S # 10111S #
<b>Tryptic Soy Agar + 1% Penase + Neutralizing</b>	20 plates 100 plates	10085 # 10085* #
<b>Tryptic Soy Agar + 5% Penase + Neutralizing</b> Medium for bacterial count with inactivation of antibiotics and disinfectants.	20 plates	11137 #
<b>Tryptic Soy Agar + Neutralizing + Penase + Cephalosporinase (Irradiated)</b> Medium for microbial detection with inactivation of $\beta$ -lactam antibiotics and disinfectants.	20 plates	10106S #
<b>Tryptic Soy Broth</b> Broth for fastidious bacteria growth.	E.P. 20 tubes 100 tubes 6 bottles x 100 mL 25 bottles x 100 mL 6 bottles x 200 mL 25 bottles x 200 mL 6 bottles x 900 mL 50 tubes x 5 mL 25 bottles x 100 mL (flip-off cap)	24513 26513 452080 45208 442080 453208 463090 # 27500 # 453030 #
<b>Tryptic Soy Broth + Capitol 4</b> Broth for microbiological testing of cosmetic products.	6 bottles x 90 mL 6 bottles x 190 mL 6 bottles x 490 mL 8 bottles x 990 mL	442090 # 442150 # 463080 # 463010 #
<b>Tryptic Soy Broth + 1% Tween 80</b> Broth for fastidious bacteria growth.	6 bottles x 100 mL 25 bottles x 100 mL 25 bottles x 100 mL (flip-off cap) 6 bottles x 200 mL	400270 # 452090 # 453270 # 412110 #
<b>Tryptic Soy Broth + 0.5% Lecithin + 4% Tween 20</b> Broth for microbial growth, especially used in cosmetic applications.	6 bottles x 100 mL 6 bottles x 1000 mL	442110 # 463020
<b>Tryptic Soy Broth + 0.3% Lecithin + 2% Tween 20</b> Broth for microbial growth, especially used in cosmetic applications.	20 tubes	24460 #
<b>Tryptic Soy Broth + Lecithin + Tween 80</b> Broth for microbial growth, especially used in cosmetic applications.	6 bottles x 90 mL (100 mL bottle) 6 bottles x 90 mL (200 mL bottle)	403500 # 413500 #
<b>Trytone Soy Yeast Extract Agar</b> Medium for confirmation of <i>Listeria monocytogenes</i> from food.	ISO 11290 20 plates	10432 #
<b>Trytone Water</b> Medium for <i>Escherichia coli</i> determination.	20 tubes 6 bottles x 100 mL	24136 # 401980 #
<b>Tryptophan Broth</b> Medium for indole reaction.	ISO 9308 20 tubes x 3 mL 100 tubes x 3 mL	24073 26073
<b>Tryptose Agar</b> Medium for fastidious bacteria growth.	APHA 10 tubes 6 bottles x 100 mL	30097 402320 #
<b>Tryptose Broth</b> Broth for fastidious bacteria enrichment.	20 tubes 6 bottles x 100 mL	24112 402070 #
<b>Tryptose Sulfite Agar</b> Basal medium for the presumptive identification of <i>Clostridium perfringens</i> .	20 tubes x 12 mL 100 tubes x 12 mL	24456 # 26456 #
<b>Tryptose Sulfite Cycloserine Agar Base</b> Medium for anaerobic sulfite reducing bacteria detection in foodstuffs.	ISO 7937 6 bottles x 90 mL	402700

<b>Ready culture media in petri dishes, tubes, bottles</b>			# Product with minimum order
Description		Packaging	Ref.
<b>Violet Red Bile Glucose Agar</b> Selective medium for enterobacteria isolation and count.	ISO 21528-2	20 plates	11184
	E.P.	6 bottles x 100 mL	402540
		25 bottles x 100 mL	450254
<b>Violet Red Bile Lactose Agar</b> Selective medium for coliforms isolation and enumeration.	ISO 4832	20 plates	11183
		100 plates	11183*
		10 tubes x 22 mL	34076
		6 bottles x 100 mL	402460
<b>Violet Red Bile Lactose Agar + MUG</b> Selective medium for isolation and enumeration of coliforms and <i>Escherichia coli</i> .		20 plates	10012 #
<b>Urea Broth</b> Medium for enterobacteria differentiation.		20 tubes	24416
<b>Urea / Indole Broth</b> Medium for indole and urease test.		6 bottles x 100 mL	403060
<b>Vagitube</b> Medium for the search for <i>Trichomonas vaginalis</i> and for yeasts in urogenital samples.		20 tubes	20340
<b>Vogel Johnson Agar</b> Selective medium for <i>Staphylococcus aureus</i> isolation.	U.S.P.	20 plates	11185 #
		100 plates	11185* #
<b>Wurtz Lactose Agar</b> Medium for enterobacteria isolation.		20 plates	10054
		100 plates	10054*
		6 bottles x 100 mL	442300
<b>XLD Agar</b> Differential and selective medium for pathogenic enterobacteria isolation.	ISO 6579	20 plates	10056
	ISO 21567	100 plates	10056*
<b>XLD Agar Pharmacopoeia formulation</b> Differential and selective medium for pathogenic enterobacteria isolation.	EP, USP, JP, BP	20 plates	10413
<b>XLT4 Agar</b> Selective medium for <i>Salmonella</i> spp. isolation.		20 plates	10069
		100 plates	10069*
<b>Yeast Extract Agar</b> Medium for microorganisms enumeration in water.	ISO 6222	20 tubes 20 mL	34074 #
		100 tubes 20 mL	26074 #
		20 tubes 10 mL	31102 #
		6 bottles x 100 mL	403120 #
		6 bottles x 200 mL	412120
<b>Yeast Glucose Chloramphenicol Agar</b> Selective medium for yeasts and moulds isolation and enumeration.	ISO 21527-1	20 plates	10011
	ISO 21527-2		
<b>Yersinia Broth</b> Enrichment broth for <i>Yersinia enterocolitica</i> isolation.		20 tubes	24432
<b>Yersinia ITC Broth</b> Enrichment broth for detecting <i>Yersinia enterocolitica</i> in food and water.	ISO 10273	20 tubes	24431
<b>Yersinia Selective Agar</b> Selective medium for <i>Yersinia enterocolitica</i> isolation.	ISO 10273	20 plates	10052
		100 plates	10052*
<b>YSG Agar</b> Medium for detecting <i>Alicyclobacillus</i> in fruit juices and other beverages.		20 plates	10430 #
<b>YSG Broth</b> Liquid medium for detecting <i>Alicyclobacillus</i> in fruit juices and other beverages.		6 bottles x 90 mL	402610 #

## Haemoculture bottles


Description	Packaging	Ref.
		
<b>HEMO-AEROBIC CULTURING</b> Medium for blood culture of aerobic microorganisms.	6 bottles x 80 mL	490010
<b>HEMO-AEROBIC CULTURING <i>Pediatric</i></b> Medium for blood culture of aerobic microorganisms (pediatric use).	6 bottles x 40 mL	490030
<b>HEMO-AEROBIC CULTURING <i>Neonatal</i></b> Medium for blood culture of aerobic microorganisms (neonatal use).	6 bottles x 9 mL	490050
<b>HEMO-ANAEROBIC CULTURING</b> Medium for blood culture of anaerobic microorganisms.	6 bottles x 80 mL	490020
<b>HEMO-ANAEROBIC CULTURING <i>Pediatric</i></b> Medium for blood culture of anaerobic microorganisms (pediatric use).	6 bottles x 40 mL	490040
<b>HEMO-ANAEROBIC CULTURING <i>Neonatal</i></b> Medium for blood culture of anaerobic microorganisms (neonatal use).	6 bottles x 9 mL	490060

## GASPAK: Anaerobiosis, Microaerophilia, Capnophilia

Containers, Generators, Indicators, Disposable pouches.



Description	Packaging	Ref.
<b>GasPak EZ Standard Container</b>	1 unit	96720
<b>GasPak EZ Standard Rack</b>	1 unit	96721
<b>GasPak EZ Large Container</b>	1 unit	96722
<b>GasPak EZ Large Rack</b>	1 unit	96723
<b>GasPak EZ Anaerobe Container System Sachet</b>	20 units	96724
<b>Indicator of anaerobiosis</b>	100 units	96725
<b>GasPak EZ Anaerobe Container System Sachet with indicator</b>	20 units	96726
<b>GasPak EZ Campy Container System Sachet</b>	20 units	96727
<b>GasPak EZ CO<sub>2</sub> Container System Sachet</b>	20 units	96728
<b>GasPak CO<sub>2</sub> Indicator</b>	50 units	96729
<b>GasPak EZ Anaerobe Pouch System</b>	20 units	96730
<b>GasPak EZ CO<sub>2</sub> Pouch System</b>	20 units	96731
<b>GasPak EZ Campy Pouch System</b>	20 units	96732

<b>Ready culture media in two sectors petri dishes</b>		# Product with minimum order	
Description	Packaging	Ref.	
			
<b>Baird Parker / MacConkey</b> Selective media for <i>Staphylococcus aureus</i> and gram-negatives isolation.	20 plates 100 plates	18500 # 18500* #	
<b>Baird Parker / Sabouraud CAF</b> Selective media for <i>Staphylococcus aureus</i> , yeasts and moulds isolation.	20 plates 100 plates	18390 # 18390* #	
<b>Brilliant Green / S.S.</b> Selective media for <i>Salmonella</i> spp. isolation.	20 plates 100 plates	18012 # 18012* #	
<b>CLED / MacConkey</b> Media for total bacterial count and gram-negatives isolation in urine.	20 plates 100 plates	18502 # 18502* #	
<b>Columbia C.N.A. / Chocolate</b> Selective medium for staphylococci, streptococci, pneumococci and non selective medium for fastidious bacteria isolation.	20 plates 100 plates	18507 # 18507* #	
<b>Columbia C.N.A. / Gardnerella V.</b> Selective media for streptococci, staphylococci, pneumococci and <i>Gardnerella vaginalis</i> isolation.	20 plates 100 plates	18422 # 18422* #	
<b>Columbia C.N.A. / MacConkey</b> Selective media for streptococci, staphylococci, pneumococci and gram-negative isolation.	20 plates 100 plates	18327 # 18327* #	
<b>D.T.M. / Sabouraud</b> Selective media for dermatophytes, yeasts, moulds isolation.	20 plates 100 plates	18595 18595*	
<b>Gardnerella V. / Thayer Martin</b> Selective media for <i>Gardnerella vaginalis</i> and pathogenic neisseriae isolation.	20 plates 100 plates	18379 # 18379* #	
<b>Hektoen Enteric / Yersinia</b> Selective media for enteric pathogens and <i>Yersinia enterocolitica</i> isolation.	20 plates 100 plates	18391 # 18391* #	
<b>Hektoen Enteric / S.S.</b> Selective media for enteric pathogens isolation.	20 plates 100 plates	18503 # 18503* #	
<b>MacConkey / Sabouraud CAF</b> Selective media for coliforms and pathogenic fungi detection.	20 plates	18018 #	
<b>MacConkey / Leifson</b> Selective media for enteric bacteria isolation / <i>Salmonella</i> and <i>Shigella</i> spp. according to Leifson.	20 plates	18019 #	
<b>MacConkey / S.S.</b> Selective media for enteric pathogens isolation.	20 plates 100 plates	18505 # 18505* #	
<b>MacConkey / T.S.A. Blood</b> Media for Gram-negative and fastidious bacteria isolation.	20 plates 100 plates	18380 # 18380* #	
<b>T.S.A. Blood / Chromatic™ Detection</b> Medium for Gram-negative fastidious bacteria isolation and urinary bacterial identification.	20 plates 100 plates	18008 # 18008* #	

<b>Ready culture media in three sectors petri dishes</b>		# Product with minimum order	
Description	Packaging	Ref.	
<b>Baird Parker / Biggy / MacConkey</b> Selective media for <i>Staphylococcus aureus</i> , <i>Candida</i> spp. and Gram-negative bacteria isolation.	20 plates 100 plates	13013 # 13013* #	
<b>Baird Parker / Bile Esc. / Sabouraud CAF</b> Selective media for <i>Staphylococcus aureus</i> , group D streptococci and fungi isolation.	20 plates 100 plates	13602 # 13602* #	
<b>Baird Parker / MacConkey / Sabouraud CAF</b> Selective media for <i>Staphylococcus aureus</i> , gram-negatives and fungi isolation.	20 plates 100 plates	13371 # 13371* #	
<b>Chocolate / Columbia CNA / Thayer Martin</b> Media for fastidious bacteria, streptococci, staphylococci, pneumococci and pathogenic neisseriae isolation.	20 plates 100 plates	13014 # 13014* #	
<b>Gardnerella V. / Chocolate / Thayer Martin</b> Media for <i>Gardnerella vaginalis</i> , fastidious microorganisms, pathogenic neisseriae isolation.	20 plates	13356 #	
<b>CLED / Enterococcus / MacConkey</b> Media for total bacterial count in urine and isolation of enterococci and gram-negatives.	20 plates 100 plates	13614 # 13614* #	
<b>CLED / MacConkey / Cetrimide</b> Media for total bacterial count and for Gram-negative bacteria and <i>Pseudomonas aeruginosa</i> detection.	20 plates 100 plates	13019 # 13019* #	
<b>Gard. V. / Rogosa / Thayer Martin</b> Media for <i>Gardnerella vaginalis</i> , lactobacilli, pathogenic neisseriae isolation.	20 plates 100 plates	13345 # 13345* #	
<b>MacConkey / V. Johnson / Sabouraud</b> Media for Gram-negative bacteria, <i>Staphylococcus aureus</i> and fungi isolation.	20 plates 100 plates	13480 # 13480* #	