Megazyme Building 1,
Bray Business Park,
Bray, Co. Wicklow,
A98 YV29,
Ireland.
Tel: + 353 1 2861220 Fax: + 353 1 2861264

Certificate of Analysis

Product: Trigalacturonic acid
Cat. No: O-GALA3
Lot. No: 210303
Expiry Date: December, 2026

Parameters:

Purity By	Specification	Result
HPAEC-PAD	>95%	99.0%

This lot meets our specification.

Signature:  **Date:** 09.Mar.2021

Tadas Kargelis
Senior Organic Chemist

(*as this certificate is a computer printout, it has not been signed or dated by hand*)

© 2023, Neogen Corporation; © 2023, Megazyme. All rights reserved.
Neogen is a registered trademark of Neogen Corporation. Megazyme is a registered trademark of Megazyme Ltd.


Megazyme Building 1,
Bray Business Park,
Bray, Co. Wicklow,
A98 YV29,
Ireland.
Tel: + 353 1 2861220 Fax: + 353 1 2861264

HPAEC-PAD:

Product: O-GALA3, Lot 210303

Column: CarboPac PA200 guard and analytical columns (3 x 250 mm)
Temperature: 30°C
Flow rate: 0.5 mL/min
Detector: Au electrode; waveform Carbohydrate, standard quad
IC System: Dionex ICS5000+ DP system and Chromeleon v 7.0 software
A stepwise linear gradient method was employed as shown.

Time (min)	100mM NaOH (%)	320mM NaOAc (%) in 100mM NAOH
0	100	0
40	0	100
50	0	100
50.5	100	0
60	100	0



© 2023, Neogen Corporation; © 2023, Megazyme. All rights reserved.
Neogen is a registered trademark of Neogen Corporation. Megazyme is a registered trademark of Megazyme Ltd.