

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.8

Revision Date 15.07.2022

Print Date 20.09.2023

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Listeria agar (base) acc. OTTAVIANI and AGOSTI acc. ISO 11290 Chromocult®

Product Number : 1.00427

Catalogue No. : 100427

Brand : Millipore

REACH No. : This product is a mixture. REACH Registration Number see section 3.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

### 1.3 Details of the supplier of the safety data sheet

Company : Merck Life Science spol. s r. o.  
Na Hřebenech II 1718/10  
CZ-140 00 PRAGUE

Telephone : +420 246 003-251

E-mail address : TechnicalService@merckgroup.com

### 1.4 Emergency telephone

Emergency Phone # : +420 228880039(CHEMTREC)  
+420 224919293/224915402  
(Toxikologické informační středisko)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Skin irritation (Category 2), H315  
Eye irritation (Category 2), H319  
Skin sensitization (Category 1), H317

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 Label elements

#### Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal Word	Warning
Hazard statement(s)	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
Precautionary statement(s)	
P261	Avoid breathing dust.
P264	Wash skin thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/ eye protection/ face protection.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

### Reduced Labeling (<= 125 ml)

Pictogram



Signal Word	Warning
Hazard statement(s)	
H317	May cause an allergic skin reaction.
Precautionary statement(s)	
P261	Avoid breathing dust.
P272	Contaminated work clothing should not be allowed out of the workplace.
P302 + P352	IF ON SKIN: Wash with plenty of water.
Supplemental Hazard Statements	none

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Component	Classification	Concentration
<b>Lithium chloride</b>		
CAS-No.	7447-41-8	Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; H302, H315, H319
EC-No.	231-212-3	
Registration number	01-2119560574-35-XXXX	
		>= 10 - < 20 %



<b>Pyruvic acid sodium salt</b>			
CAS-No.	113-24-6	Eye Irrit. 2; Skin Sens. 1B; H319, H317	>= 1 - < 10 %
EC-No.	204-024-4		
Registration number	01-2120767047-50-XXXX		

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

### **4.1 Description of first-aid measures**

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### **If inhaled**

After inhalation: fresh air.

#### **In case of skin contact**

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### **In case of eye contact**

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### **If swallowed**

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### **4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### **4.3 Indication of any immediate medical attention and special treatment needed**

No data available

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

Water Foam Carbon dioxide (CO2) Dry powder

#### **Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

### **5.2 Special hazards arising from the substance or mixture**

Carbon oxides  
 Nitrogen oxides (NOx)  
 Oxides of phosphorus  
 Hydrogen chloride gas  
 Sodium oxides  
 Lithium oxides  
 Combustible.  
 Fire may cause evolution of:



Hydrogen chloride gas  
Development of hazardous combustion gases or vapours possible in the event of fire.

### **5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### **5.4 Further information**

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### **6.2 Environmental precautions**

Do not let product enter drains.

### **6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### **6.4 Reference to other sections**

For disposal see section 13.

---

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

For precautions see section 2.2.

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Storage conditions**

Protected from light. Tightly closed. Dry.

Recommended storage temperature see product label.

#### **Storage class**

Storage class (TRGS 510): 11: Combustible Solids

### **7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated



---

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

#### **Ingredients with workplace control parameters**

### **8.2 Exposure controls**

#### **Personal protective equipment**

##### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

##### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: > 480 min

Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: > 480 min

Material tested:KCL 741 Dermatril® L

##### **Body Protection**

protective clothing

##### **Respiratory protection**

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.



**Control of environmental exposure**  
Do not let product enter drains.

---

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

- |   |  |
|---|--|
| a) Physical state                               | solid  |
| b) Color  | beige  |
| c) Odor   | peptone-like   |
| d) Melting point/freezing point                 | No data available  |
| e) Initial boiling point and boiling range      | No data available  |
| f) Flammability (solid, gas)                    | No data available  |
| g) Upper/lower flammability or explosive limits | No data available  |
| h) Flash point                                  | No data available  |
| i) Autoignition temperature                     | No data available  |
| j) Decomposition temperature                    | No data available  |
| k) pH   | 7,0 - 7,4 at 70 g/l at 25 °C   |
| l) Viscosity                                    | Viscosity, kinematic: No data available<br>Viscosity, dynamic: No data available |
| m) Water solubility                             | 70 g/l at 100 °C   |
| n) Partition coefficient: n-octanol/water       | No data available  |
| o) Vapor pressure                               | No data available  |
| p) Density                                      | No data available  |
| Relative density                                | No data available  |
| q) Relative vapor density                       | No data available  |
| r) Particle characteristics                     | No data available  |
| s) Explosive properties                         | Not classified as explosive.   |
| t) Oxidizing properties                         | none   |

**9.2 Other safety information**

No data available

Millipore- 1.00427

Page 6 of 12

The life science business of Merck operates as MilliporeSigma in the US and Canada



---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Exothermic reaction with:

Alkali metals

halogen-halogen compounds

Violent reactions possible with:

Strong acids

### 10.4 Conditions to avoid

no information available

### 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Mixture

#### Acute toxicity

Acute toxicity estimate Oral - > 2.000 mg/kg

(Calculation method)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Symptoms: Possible symptoms:, mucosal irritations

Dermal: No data available

#### Skin corrosion/irritation

Mixture causes skin irritation.

#### Serious eye damage/eye irritation

Mixture causes serious eye irritation.

#### Respiratory or skin sensitization

Mixture may cause an allergic skin reaction.

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

Millipore- 1.00427

Page 7 of 12

The life science business of Merck operates as MilliporeSigma in the US and Canada



No data available

### **Specific target organ toxicity - repeated exposure**

No data available

### **Aspiration hazard**

No data available

## **11.2 Additional Information**

### **Endocrine disrupting properties**

#### **Product:**

Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

## **Components**

### **Lithium chloride**

#### **Acute toxicity**

LD50 Oral - Rat - male - 526 mg/kg

Remarks: (ECHA)

LC50 Inhalation - Rat - male and female - 4 h - > 5,57 mg/l - dust/mist  
(OECD Test Guideline 403)

LD50 Dermal - Rat - male and female - > 2.000 mg/kg  
(OECD Test Guideline 402)

#### **Skin corrosion/irritation**

Skin - Rabbit

Result: Severe skin irritation - 24 h

Remarks: (RTECS)

#### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Eye irritation

(OECD Test Guideline 405)

#### **Respiratory or skin sensitization**

Buehler Test - Guinea pig

Result: Not a skin sensitizer.

(OECD Test Guideline 406)

#### **Germ cell mutagenicity**

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Lithium hydroxide





Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Result: negative  
Remarks: (in analogy to similar products)  
The value is given in analogy to the following substances: Lithium hydroxide monohydrate

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**Pyruvic acid sodium salt**

**Acute toxicity**

Oral: No data available  
Inhalation: No data available  
Dermal: No data available

**Skin corrosion/irritation**

Skin - reconstructed human epidermis (RhE)  
Result: No skin irritation - 42 min  
(OECD Test Guideline 439)

**Serious eye damage/eye irritation**

Eyes - In vitro study  
Result: Causes serious eye irritation. - 6 h  
(OECD Test Guideline 492)

**Respiratory or skin sensitization**

Local lymph node assay (LLNA) - Mouse  
Result: positive  
(OECD Test Guideline 429)

**Germ cell mutagenicity**

Test Type: Ames test  
Test system: Escherichia coli/Salmonella typhimurium  
Result: negative

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available



## Specific target organ toxicity - repeated exposure

### Aspiration hazard

No data available

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Mixture

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

#### Components

##### Lithium chloride

Toxicity to fish	static test LC50 - Oncorhynchus mykiss (rainbow trout) - 158 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 249 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - > 400 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC50 - activated sludge - 320,05 mg/l - 3 h (OECD Test Guideline 209) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Lithium hydroxide





H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.

**Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

