

according to Regulation (EC) No. 1907/2006 (REACH)

Cyclohexane p.A.

Version number: GHS 1.0 Date of compilation: 2020-10-23

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance Cyclohexane p.A.

Registration number (REACH) 01-2119463273-41-xxxx

CAS number 110-82-7
Article number LC-7214

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified usesGeneral use

1.3 Details of the supplier of the safety data sheet

NeoFroxx GmbH Marie-Curie-Str. 3 D-64683 Einhausen Germany

Telephone: +49 (6251) 989 24 - 0 e-mail: info@neofroxx.com Website: neofroxx.com

e-mail (competent person) info@neofroxx.com (neoFroxx GmbH)

1.4 Emergency telephone number

Poison centre			
Country	Name	Postal code/city	Telephone
United Kingdom	National Poisons Information Service		111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.6	flammable liquid	2	Flam. Liq. 2	H225
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336
3.10	aspiration hazard	1	Asp. Tox. 1	H304
4.1A	hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16.

United Kingdom: en Page: 1 / 16



according to Regulation (EC) No. 1907/2006 (REACH)

Cyclohexane p.A.

Version number: GHS 1.0 Date of compilation: 2020-10-23

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

2.2 **Label elements**

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word danger

- Pictograms

GHS02, GHS07, GHS08, GHS09









- Hazard statements

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H410 Very toxic to aquatic life with long lasting effects.

- Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

Store in a well-ventilated place. Keep container tightly closed. P403+P233

P403+P235 Store in a well-ventilated place. Keep cool.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

Substances 3.1

Name of substance Cyclohexane p.A.

Identifiers

REACH Reg. No 01-2119463273-41-xxxx

CAS No 110-82-7 EC No 203-806-2 Index No 601-017-00-1

Molecular formula C6H12 84.16 ^g/_{mol} **Molar mass**

United Kingdom: en Page: 2 / 16



according to Regulation (EC) No. 1907/2006 (REACH)

Cyclohexane p.A.

Version number: GHS 1.0 Date of compilation: 2020-10-23

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects. Irritant effects. Cough. Nausea. Vomiting. Gastrointestinal complaints. Abdominal pain. Respiratory Paralysis. Circulatory collapse.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

United Kingdom: en Page: 3 / 16



according to Regulation (EC) No. 1907/2006 (REACH)

Cyclohexane p.A.

Version number: GHS 1.0 Date of compilation: 2020-10-23

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

United Kingdom: en Page: 4 / 16



according to Regulation (EC) No. 1907/2006 (REACH)

Cyclohexane p.A.

Version number: GHS 1.0 Date of compilation: 2020-10-23

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

Packaging compatibilities
 Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

•	Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [mg/m³]	Source
	EU	cyclohexane	110-82-7	IOELV	200	700				2006/ 15/EC
	GB	cyclohexane	110-82-7	WEL	100	350	300	1,050		EH40/ 2005

Notation

Ceiling-C STEL

TWA

ceiling value is a limit value above which exposure should not occur

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	700 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	1,400 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	700 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	1,400 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
DNEL	2,016 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

United Kingdom: en Page: 5 / 16



according to Regulation (EC) No. 1907/2006 (REACH)

Cyclohexane p.A.

Version number: GHS 1.0 Date of compilation: 2020-10-23

Environmental values

Relevant PNECs and other threshold levels				
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0.207 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0.207 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
PNEC	3.24 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	16.68 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	16.68 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
PNEC	3.38 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

NBR: acrylonitrile-butadiene rubber

- Material thickness

min. 0,4 mm

- Breakthrough times of the glove material
 - >480 minutes (permeation: level 6)
- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

United Kingdom: en Page: 6 / 16



according to Regulation (EC) No. 1907/2006 (REACH)

Cyclohexane p.A.

Version number: GHS 1.0 Date of compilation: 2020-10-23

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Colour	various
Odour	characteristic

Other safety parameters

pH (value)	not determined
Melting point/freezing point	6.5 °C
Initial boiling point and boiling range	80.7 °C
Flash point	-20 °C at 1,014 hPa
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)

Explosive limits

- Lower explosion limit (LEL)	1.3 vol%
- Upper explosion limit (UEL)	8.4 vol%
Vapour pressure	124 hPa at 24 °C
Density	0.774 ^g / _{cm³} at 25 °C
Vapour density	this information is not available

Solubility(ies)

- Water solubility	52 ^{mg} / _l at 23.5 °C
--------------------	--

Partition coefficient

- n-octanol/water (log KOW)	3.44 (рН value: 7, 25 °С) (ЕСНА)
- Soil organic carbon/water (log KOC)	2.887 (ECHA)
Auto-ignition temperature	260 °C (ECHA) (auto-ignition temperature (liquids and gases))

United Kingdom: en Page: 7 / 16



according to Regulation (EC) No. 1907/2006 (REACH)

Cyclohexane p.A.

Version number: GHS 1.0 Date of compilation: 2020-10-23

Viscosity

- Kinematic viscosity	1.155 ^{mm²} / _s at 25 °C
- Dynamic viscosity	0.894 mPa s at 25 °C
Explosive properties	none
Oxidising properties	none

9.2 Other information

Temperature class (EU, acc. to ATEX)	T3 (maximum permissible surface temperature on the equip-
	ment: 200°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

Explosion hazard with:

. Nitrogen dioxide. Risk of ignition or formation of flammable gases or vapors with:. Strong oxidisers.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidisers, Rubber, natural, Different plastics

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

United Kingdom: en Page: 8 / 16



according to Regulation (EC) No. 1907/2006 (REACH)

Cyclohexane p.A.

Version number: GHS 1.0 Date of compilation: 2020-10-23

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful in contact with skin or if inhaled.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic	toxicity	(acuto)	١
Auuauc	LOXICILY	(acute)

Endpoint	Value	Species	Exposure time
LC50	4.53 ^{mg} / _l	fish	96 h
EC50	0.9 ^{mg} / _l	aquatic invertebrates	48 h
ErC50	9.317 ^{mg} / _l	algae	72 h

Biodegradation

The substance is readily biodegradable. The relevant substances of the mixture are readily biodegradable.

United Kingdom: en Page: 9 / 16



according to Regulation (EC) No. 1907/2006 (REACH)

Cyclohexane p.A.

Version number: GHS 1.0 Date of compilation: 2020-10-23

12.2 Persistence and degradability

Process of degradability

Process Degradation rate Time

oxygen depletion 77 % 28 d

12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)	3.44 (pH value: 7, 25 °C) (ECHA)
BCF	167 (ECHA)

12.4 Mobility in soil

Henry's law constant	14,900 ^{Pa m³} / _{mol} at 20 °C
The Organic Carbon normalised adsorption coefficient	2.887 (ECHA)

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Endocrine disrupting potential

Not listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

United Kingdom: en Page: 10 / 16



according to Regulation (EC) No. 1907/2006 (REACH)

Cyclohexane p.A.

Version number: GHS 1.0 Date of compilation: 2020-10-23

SECTION 14: Transport information

14.1 UN number 1145

14.2 UN proper shipping name CYCLOHEXANE

14.3 Transport hazard class(es)

Class 3 (flammable liquids) (environmentally hazardous)

14.4 Packing group II (substance presenting medium danger)

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number 1145

Proper shipping name CYCLOHEXANE

Class 3
Classification code F1
Packing group II

Danger label(s) 3, fish and tree





Environmental hazards yes (hazardous to the aquatic environment)

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) D/E
Hazard identification No 33
Emergency Action Code 3YE

International Maritime Dangerous Goods Code (IMDG)

UN number 1145

Proper shipping name CYCLOHEXANE

Class 3

Marine pollutant yes (hazardous to the aquatic environment)

Packing group II

Danger label(s) 3, fish and tree

United Kingdom: en Page: 11 / 16



according to Regulation (EC) No. 1907/2006 (REACH)

Cyclohexane p.A.

Version number: GHS 1.0 Date of compilation: 2020-10-23



Special provisions (SP)

Excepted quantities (EQ) E2 Limited quantities (LQ) 1 L

EmS F-E, S-D

Stowage category

International Civil Aviation Organization (ICAO-IATA/DGR)

UN number 1145

Proper shipping name Cyclohexane

Class

Environmental hazards YES (hazardous to the aquatic environment)

Packing group II Danger label(s) 3



Excepted quantities (EQ) E2 Limited quantities (LQ) 1 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Cyclohexane p.A.	cyclohexane	110-82-7	R57	57
Cyclohexane p.A.	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		R3	3
Cyclohexane p.A.	flammable / pyrophoric		R40	40

Legend

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

Articles not complying with paragraph 1 shall not be placed on the market.

3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both,

- can be used as fuel in decorative oil lamps for supply to the general public, and, - present an aspiration hazard and are labelled with R65 or H304,

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN). 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following re-

United Kingdom: en Page: 12 / 16



according to Regulation (EC) No. 1907/2006 (REACH)

Cyclohexane p.A.

Version number: GHS 1.0 Date of compilation: 2020-10-23

Legend

- (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
- (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage'; (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
- 6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.

 7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304,
- shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.
- R40 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
 - metallic glitter intended mainly for decoration,
 - artificial snow and frost,
 - 'whoopee' cushions,
 - silly string aerosols,
 - imitation excrement,
 - horns for parties,
 - decorative flakes and foams,
 - artificial cobwebs.
 - stink hombs.
 - 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
 - 'For professional users only'. 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
 - 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.
- R57 1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of neoprene-based contact adhesives in concentrations equal to or greater than 0,1 % by weight in package sizes greater than
 - 2. Neoprene-based contact adhesives containing cyclohexane and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.
 - 3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that neoprene-based contact adhesives containing cyclohexane in concentrations equal to or greater than 0,1 % by weight that are placed on the market for supply to the general public after 27 December 2010 are visibly, legibly and indelibly marked as follows:

 '- This product is not to be used under conditions of poor ventilation.

 - This product is not to be used for carpet laying.'.

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

not listed

Deco-Paint Directive (2004/42/EC)

VOC content	100 %	
Directive on industrial emissions (VOCs, 2010/75/EU)		

100 %

Water Framework Directive (WFD)

not listed

VOC content

United Kingdom: en Page: 13 / 16



according to Regulation (EC) No. 1907/2006 (REACH)

Cyclohexane p.A.

Version number: GHS 1.0 Date of compilation: 2020-10-23

National inventories

Country	Inventory	Status
EU	REACH Reg.	substance is listed
US	TSCA	substance is listed

Legend

REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association

United Kingdom: en Page: 14 / 16



according to Regulation (EC) No. 1907/2006 (REACH)

Cyclohexane p.A.

Version number: GHS 1.0 Date of compilation: 2020-10-23

Abbr.	Descriptions of used abbreviations
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

United Kingdom: en Page: 15 / 16



according to Regulation (EC) No. 1907/2006 (REACH)

Cyclohexane p.A.

Version number: GHS 1.0 Date of compilation: 2020-10-23

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product. The information is intended to give you guidelines for the safe handling of the product mentioned in this safety data sheet during storage, processing, transport and disposal. The information is not transferable to other products. Insofar as the product is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise.

United Kingdom: en Page: 16 / 16