



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Version 7.4 Revision Date 18.08.2022 Print Date 20.07.2023 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers		
	Product name	:	Mettler-Toledo Calibration substance ME
			18870, Benzophenone
			Mettler-Toledo Calibration substance ME 18870, Benzophenone
	Product Number	:	73664
	Brand	:	Sigma-Aldrich
	REACH No.	:	A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.
	CAS-No.	:	119-61-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company	:	Merck Life Science spol. s r. o. Na Hřebenech II 1718/10 CZ-140 00 PRAGUE
Telephone E-mail address	:	+420 246 003-251 TechnicalService@merckgroup.com
Emergency telephone		

Emergency Phone # : +420 228880039(CHEMTREC) +420 224919293/224915402 (Toxikologické informační středisko)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Carcinogenicity (Category 1B), H350 Specific target organ toxicity - repeated exposure, Oral (Category 2), Liver, Kidney, H373 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Sigma-Aldrich- 73664

1.4

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 10

Pictogram	
Signal Word	Danger
Hazard statement(s) H350 H373	May cause cancer. May cause damage to organs (Liver, Kidney) through prolonged or repeated exposure if swallowed.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statement(s) P202	Do not handle until all safety precautions have been read and understood.
P260 P273 P280 P308 + P313	Do not breathe dust. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.
P405	IF exposed or concerned: Get medical advice/ attention. Store locked up.
Supplemental Hazard Statements	none
Reduced Labeling (<= 1 Pictogram	25 ml)
Signal Word	Danger
Hazard statement(s) H350 H412	May cause cancer. Harmful to aquatic life with long lasting effects.
Precautionary statement(s) P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P313 P405	IF exposed or concerned: Get medical advice/ attention. Store locked up.
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1	Substances Synonyms	: Diphenyl ketone Benzophenone	
	Formula	: C ₁₃ H ₁₀ O	

Sigma-Aldrich- 73664

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 2 of 10

Molecular weight	:	182,22 g/mol
CAS-No.	:	119-61-9
EC-No.	:	204-337-6

Component		Classification	Concentration	
Benzophenone de	erivatives			
CAS-No. EC-No.	119-61-9 204-337-6	Carc. 1B; STOT RE 2; Aquatic Chronic 3; H350, H373, H412	<= 100 %	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

Sigma-Aldrich- 73664



The life science business of Merck operates as MilliporeSigma in the US and Canada



5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma-Aldrich- 73664

Page 4 of 10





SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact

Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet; www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

Sigma-Aldrich- 73664

Page 5 of 10





SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

information on basic physical and chemical properties				
a)	Physical state	crystalline		
b)	Color	white		
c)	Odor	No data available		
d)	Melting point/freezing point	Melting point/range: 47 - 51 °C		
e)	Initial boiling point and boiling range	305 °C		
f)	Flammability (solid, gas)	No data available		
g)	Upper/lower flammability or explosive limits	No data available		
h)	Flash point	138 °C - closed cup		
i)	Autoignition temperature	No data available		
j)	Decomposition temperature	> 320 °C -		
k)	рН	No data available		
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available		
m)	Water solubility	ca.0,14 g/l at 25 °C		
n)	Partition coefficient: n-octanol/water	log Pow: 3,18 at 25 °C - Bioaccumulation is not expected., (Lit.)		
o)	Vapor pressure	1,33 hPa at 108 °C		
p)	Density	1,11 g/cm3 at 18 °C		
	Relative density	No data available		
q)	Relative vapor density	No data available		
r)	Particle characteristics	No data available		

- s) Explosive properties No data available
- t) Oxidizing properties none
- 9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Sigma-Aldrich- 73664

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 6 of 10

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

- **10.2 Chemical stability** The product is chemically stable under standard ambient conditions (room temperature) .
- **10.3 Possibility of hazardous reactions** Violent reactions possible with: Strong oxidizing agents
- **10.4 Conditions to avoid** Strong heating.
- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Mouse - 2.895 mg/kg (OECD Test Guideline 401) Inhalation: No data available LD50 Dermal - Rabbit - 3.535 mg/kg Remarks: (ECHA)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation No data available

NO GALA AVAIIADIE

Respiratory or skin sensitization

Draize Test - Guinea pig Result: negative (OECD Test Guideline 406) Sensitisation possible in predisposed persons.

Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: in vitro test Test system: E. coli Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: (ECHA)

Sigma-Aldrich- 73664

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 7 of 10



Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

Test Type: Micronucleus test Species: Mouse

Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative

Carcinogenicity

Presumed to have carcinogenic potential for humans

Reproductive toxicity No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure

Oral - May cause damage to organs through prolonged or repeated exposure. - Liver, Kidney

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

RTECS: DI9950000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

flow-through test LC50 - Pimephales promelas (fathead minnow) -14,2 mg/l - 96,0 h (OECD Test Guideline 203)

Sigma-Aldrich- 73664

Page 8 of 10

The life science business of Merck operates as MilliporeSigma in the US and Canada



Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - 6,78 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 3,5 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC50 - activated sludge - 787 mg/l - 3 h (OECD Test Guideline 209)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 66 - 84 % - Readily biodegradable. (OECD Test Guideline 301F)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information 14.1 UN number ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name ADR/RID: Not dangerous goods IMDG: Not dangerous goods

IATA: Not dangerous goods

14.3 Transport hazard class(es) ADR/RID: - IMDG: -

Sigma-Aldrich- 73664

The life science business of Merck operates as MilliporeSigma in the US and Canada



IATA: -

Page 9 of 10

14.4	Packaging group ADR/RID: -	IMDG: -	IATA: -
14.5	Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no

14.6 Special precautions for user

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure if
	swallowed.
LI117	Harmful to aquatic life with long lasting offects

H412 Harmful to aquatic life with long lasting effects.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich- 73664

Page 10 of 10

The life science business of Merck operates as MilliporeSigma in the US and Canada

