



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.16 Revision Date 08.11.2021 Print Date 10.01.2023 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1 | Product identifiers Product name | : | Supelco 37 Component FAME Mix |
|-----|---|---|---|
| | Product Number Brand Index-No. REACH No. | : | CRM47885 Supelco 602-004-00-3 This product is a mixture. REACH Registration Number see section 3. |

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

| | Company | : | Sigma-Aldrich Chemie GmbH Eschenstrasse 5 D-82024 TAUFKIRCHEN |
|-----|------------------------------------|---|--|
| | Telephone Fax E-mail address | : | +49 (0)89 6513-1130 +49 (0)89 6513-1161 technischerservice@merckgroup.com |
| 1.4 | Emergency telephone | | |
| | Emergency Phone # | : | 0800 181 7059 (CHEMTREC Deutschland) +49 (0)696 43508409 (CHEMTREC weltweit) |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin irritation (Category 2), H315 Eye irritation (Category 2), H319 Carcinogenicity (Category 2), H351 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Supelco- CRM47885

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 1 of 12



| Signal word | Warning |
|---|---|
| Hazard statement(s) H315 H319 H336 H351 | Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Suspected of causing cancer. |
| Precautionary statement(s) P202 | Do not handle until all safety precautions have been read and understood. |
| P261 P264 P302 + P352 P305 + P351 + P338 | Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308 + P313 | IF exposed or concerned: Get medical advice/ attention. |
| Supplemental Hazard Statements | none |
| Reduced Labeling (<= 12 Pictogram | 25 ml) |
| Signal word | Warning |
| Hazard statement(s) H351 | Suspected of causing cancer. |
| Precautionary statement(s) P202 | Do not handle until all safety precautions have been read and understood. |
| P308 + P313 | IF exposed or concerned: Get medical advice/ attention. |
| Supplemental Hazard Statements | none |

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Component | | Classification | Concentration |
|-----------------|-------------------|------------------------------|---------------|
| Dichloromethane | | | |
| CAS-No. | 75-09-2 | Skin Irrit. 2; Eye Irrit. 2; | >= 90 - <= |
| EC-No. | 200-838-9 | Carc. 2; STOT SE 3; H315, | 100 % |
| Index-No. | 602-004-00-3 | H319, H351, H336 | |
| Registration | 01-2119480404-41- | Concentration limits: | |
| number | XXXX | 20 %: STOT SE 3, H336; | |

Page 2 of 12

The life science business of Merck operates as MilliporeSigma in the US and Canada



| methyl decanoate | | | |
|------------------|-----------|---------------------------|--------------|
| CAS-No. | 110-42-9 | Aquatic Acute 1; Aquatic | >= 0,025 - < |
| EC-No. | 203-766-6 | Chronic 2; H400, H411 | 0,1 % |
| | | M-Factor - Aquatic Acute: | |
| | * | 10 | |

*A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nature of decomposition products not known. Not combustible. Ambient fire may liberate hazardous vapours.

Supelco- CRM47885

The life science business of Merck operates as $\ensuremath{\mathsf{MilliporeSigma}}$ in the US and Canada





5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- 6.2 Environmental precautions

Do not let product enter drains.

- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Store under inert gas. Heat sensitive.

Storage class

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Supelco- CRM47885

Page 4 of 12





SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

required

Body Protection

protective clothing

Respiratory protection

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

| a) | Appearance | Form: liquid |
|----|---|-------------------|
| b) | Odor | No data available |
| c) | Odor Threshold | No data available |
| d) | рН | No data available |
| e) | Melting point/freezing point | No data available |
| f) | Initial boiling point and boiling range | No data available |
| g) | Flash point | Not applicable |
| h) | Evaporation rate | No data available |
| i) | Flammability (solid, gas) | No data available |
| j) | Upper/lower flammability or | No data available |

Supelco- CRM47885

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 5 of 12

explosive limits

- k) Vapor pressure No data available
- I) Vapor density No data available
- m) Density No data availableRelative density No data availablen) Water solubility No data available
- o) Partition coefficient: No data available
- n-octanol/water p) Autoignition Not applicable
- q) Decomposition No data available temperature
- r) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available
- s) Explosive properties Not classified as explosive.
- t) Oxidizing properties none

9.2 Other safety information

temperature

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** no information available
- **10.5 Incompatible materials** Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available Symptoms: Possible symptoms:, mucosal irritations Dermal: No data available

Supelco- CRM47885

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 6 of 12



Skin corrosion/irritation

Mixture causes skin irritation.

Serious eye damage/eye irritation Mixture causes serious eye irritation.

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity No data available

Reproductive toxicity No data available

Specific target organ toxicity - single exposure Mixture may cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

Components

Dichloromethane

Acute toxicity

LD50 Oral - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Mouse - 4 h - 86 mg/l - vapor Remarks: (ECHA) Symptoms: Possible damages:, mucosal irritations

Supelco- CRM47885

Page 7 of 12





LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit Result: Irritations - 4 h (OECD Test Guideline 404) Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

Serious eye damage/eye irritation

Eyes - Rabbit Result: Eye irritation Remarks: (ECHA) Risk of corneal clouding.

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells Result: positive Test Type: Ames test Test system: Salmonella typhimurium Result: positive Method: OECD Test Guideline 474 Species: Mouse - male and female - Bone marrow Result: negative

Carcinogenicity

Limited evidence of carcinogenicity in animal studies Suspected human carcinogens

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause drowsiness or dizziness. - Central nervous system Acute inhalation toxicity - Possible damages:, mucosal irritations

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

methyl decanoate

Acute toxicity

LD50 Oral - Rat - male and female - > 2.000 mg/kg (EC Directive 92/69/EEC B.1 Acute Toxicity (Oral)) LC50 Inhalation - Rat - male and female - > 5 mg/l - aerosol (OECD Test Guideline 436) Dermal: No data available

Supelco- CRM47885

Page 8 of 12

The life science business of Merck operates as MilliporeSigma in the US and Canada



Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (Regulation (EC) No. 440/2008, Annex, B.5)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: Not a skin sensitizer. (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Chromosome aberration test in vitro Test system: lymphocyte Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Result: negative

Carcinogenicity

No data available

Reproductive toxicity No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties <u>Product:</u>

Supelco- CRM47885

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 9 of 12



: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

Components

| Dichloromethane Toxicity to fish | flow-through test LC50 - Pimephales promelas (fathead minnow) - 193,00 mg/l - 96 h Remarks: (ECHA) |
|---|---|
| Toxicity to daphnia and other aquatic invertebrates | static test LC50 - Daphnia magna (Water flea) - 27 mg/l - 48 h (US-EPA) |
| Toxicity to bacteria | static test EC50 - activated sludge - 2.590 mg/l - 40 min (OECD Test Guideline 209) |
| methyl decanoate | |
| Toxicity to fish | static test LC50 - Leuciscus idus (Golden orfe) - 170 mg/l - 48 h (OECD Test Guideline 203) |
| Toxicity to daphnia and other aquatic invertebrates | semi-static test EC50 - Daphnia magna (Water flea) - 1,1 mg/l - 48 h (OECD Test Guideline 202) |
| Toxicity to algae | static test ErC50 - Pseudokirchneriella subcapitata - > 0,055 mg/l - 72 h (OECD Test Guideline 201) |
| Toxicity to bacteria | static test EC50 - activated sludge - > 1.000 mg/l - 3 h (OECD Test Guideline 209) |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1593 IMDG: 1593

14.2 UN proper shipping name ADR/RID: DICHLOROMETHANE, SOLUTION

Supelco- CRM47885

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 10 of 12



IATA: 1593

| | IMDG: IATA: | DICHLOROMETHAN Dichloromethane, S | • | |
|------|-----------------------------|--------------------------------------|---------------------------|-----------|
| 14.3 | Transpor ADR/RID: | t hazard class(es) 6.1 | IMDG: 6.1 | IATA: 6.1 |
| 14.4 | Packagin ADR/RID: | | IMDG: III | IATA: III |
| 14.5 | Environm ADR/RID: | nental hazards | IMDG Marine pollutant: no | IATA: no |
| 14.6 | Special p | recautions for use | r | |

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)

: Dichloromethane

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

| H315 | Causes skin irritation. |
|------|---|
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H351 | Suspected of causing cancer. |
| H400 | Very toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects |

Supelco- CRM47885

Page 11 of 12





Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Supelco- CRM47885

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 12 of 12